

Export price list Tarifa Nacional

20 23

MARCH 1ST

Recommended price list without VAT.

* This price list supersedes previous ones and includes new models and technical modifications.

1 MARZO

Precios recomendados venta público sin IVA.

* Esta tarifa anula las anteriores e incluye nuevos modelos y modificaciones técnicas.

Due to constant changes in LED technology, please check our web for current product specifications.

Lumens on LED's indicate the lumen output without diffuser.

Debido a los constantes cambios en la tecnología LED, por favor visite nuestra web para conocer las especificaciones actuales.

Los lúmenes indicados son de salida, sin difusor.

www.estiluz.com

estiluz[®]

ALPHABETIC INDEX / ÍNDICE ALFABÉTICO

A		N	
Alfi	04	Nèbula	39
Aro	07	Nit	39
Asana	09		
B		O	
Balloon	10	Obs	39
Bols	11		
Button	13	P	
C		Pila	39
Canut	15	Piu	40
Circ	15	Pluma	40
Cupolina	25		
Cyls	26	R	
E		Revolta	40
Eclipsi	28		
F		S	
Flow	29	Siso	45
Frame	31	Smile	46
G			
Gada	32	V	
I		Volta	47
Icons	34		
Iris	34		
L			
Laverd	35		
Luck	36		
Lune	37		
M			
Maine	37	Drivers, Replacements and Canopies	54
Morse	38	General terms of sale	61

FINISHES / ACABADOS

20 GLD M	Gold matt lacquer / Lacado Oro mate
22 CH	Polished chrome / Cromo
26 BLK	Black matt / Negro mate
37 NI	Brushed nickel / Níquel
44 CP	Satin copper / Cobre satinado
45 CP M	Copper matt lacquer / Lacado Cobre mate
46 M GN	Moss Green, RAL 6005 / Verde musgo, RAL 6005
47 NI M	Nickel matt / Níquel mate
55 BG	Beige, RAL 1019 / Beige, RAL 1019
56 BLK	Black matt / Negro mate
59 TC	Terracotta NCS S 4030-Y80R / Terracota NCS S 4030-Y80R
61 S GLD	24 carat satin gold / Oro 24 q. Satinado
71 WH	White satin, RAL 9002 / Blanco lacado satinado, RAL 9002
74 WH	White satin, RAL 9002 / Blanco lacado satinado, RAL 9002
78 OX RD	Oxide Red, RAL 3009 / Rojo óxido, RAL 3009
80 RT	Rust / Óxido
92 MNK	Mink / Visón
93 GR LM	Grey-limestone, RAL 7013 / Gris pardo, RAL 7013
96 BLK ANT	Black anthracite RAL 7021 / Negro antracita RAL 7021
XX	Code according to colour / Código según color

SHADES / PANTALLAS

26 BLK	Black screen / Screen negro
27 WH	White screen / Screen blanco
50 MM	Marble textured vinyl / Vinilo texturizado Mármol
51 CT	Concrete textured vinyl / Vinilo texturizado Hormigón
52 WD	Wood textured vinyl / Vinilo texturizado Madera
64 BLK L	Black acrylic, glossy / Metacrilato negro brillante



ACCESSORIES / ACCESORIOS

00 PLAIN	Incoloro / Colourless
23 GR F	Grey fumé / Gris fumé
26 BLK	Black / Negro
55 BG	Beige, RAL 1019 / Beige, RAL 1019
65 BR F	Bronze fumé / Bronce fumé
74 WH	White / Blanco
82 BL	Blue / Azul
83 EGP	Eggplant / Berenjena
84 SLM	Salmon / Salmón

ABBREVIATIONS / ABREVIATURAS

A	Wall sconce / Aplique
M	Table lamp / Lámpara de sobremesa
P	Floor lamp / Lámpara de pie
p	Reading lamp / Pie de lectura
T	Suspension / Suspensión
t	Ceiling lamp / Plafón

SYMBOLS / SÍMBOLOS


*	Bulbs included / Bombillas incluidas
	Dimmer on the lamp / Regulador integrado
	Secondary bulb / Bombilla secundaria

We can customize our products in any ESTILUZ finish. Check availability.

Podemos personalizar nuestros productos en cualquier acabado ESTILUZ. Compruebe la disponibilidad

ALFI

A-3740S / t-3740S - WITH SURFACE CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens
 Driver included / Non dimmable

FINISHES / ACABADOS
 26 BLK
 20 GLD M

EURO €
 209
 215

- Product includes:**
- 1 unit of A-3740J or t-3740J
 - 1 plain glass shade 113741000

A-3740R / t-3740R - WITH RECESSED CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 120V - 240V / Typ 350 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS
 26 BLK
 20 GLD M


EURO €
 224
 231

- Product includes:**
- 1 unit of A-3740 or t-3740
 - 1 remote driver 671000061 / Dimmable Triac
 - 1 plain glass shade 113741000

 Ø45 mm drill on dry wall
 Orificio Ø45 mm en pared de pladur

ALFI

A-3740AS / t-3740AS - WITH SURFACE CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens
 Driver included / Non dimmable

FINISHES / ACABADOS
 26 BLK
 20 GLD M

EURO €
 245
 258

- Product includes:**
- 1 unit of A-3740J or t-3740J
 - 1 glass shade with cap 113741XX0

A-3740AR / t-3740AR - WITH RECESSED CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 120V - 240V / Typ 350 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS
 26 BLK
 20 GLD M


EURO €
 260
 274

- Product includes:**
- 1 unit of A-3740 or t-3740
 - 1 remote driver 671000061 / Dimmable Triac
 - 1 glass shade with cap 113741XX0

 Ø45 mm drill on dry wall
 Orificio Ø45 mm en pared de pladur

ALFI

A-3740A1S - WITH SURFACE CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens
 Driver included / Non dimmable

FINISHES / ACABADOS
 26 BLK
 20 GLD M

EURO €
 245
 258

- Product includes:**
- 1 unit of A-3740J or t-3740J
 - 1 glass shade with cap at 45° 113741XX1

A-3740A1R - WITH RECESSED CANOPY




FEATURES / CARACTERÍSTICAS
 * LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 120V - 240V / Typ 350 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS
 26 BLK
 20 GLD M


EURO €
 260
 274

- Product includes:**
- 1 unit of A-3740
 - 1 remote driver 671000061 / Dimmable Triac
 - 1 glass shade with cap at 45° 113741XX1

 Ø45 mm drill on dry wall
 Orificio Ø45 mm en pared de pladur

ALFI

A-3741 - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 120V - 240V / Typ 350 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

367
378

Product includes:


- 1 unit of A-3741
- 1 remote driver 671000061 / Dimmable Triac
- 1 glass shade with cap at 45° 113741XX1

Ø45 mm drill on dry wall
Orificio Ø45 mm en pared de pladur

Minimum order 13 units
Pedido mínimo 13 unidades

ALFI

T-3744S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

328
338

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3744 with textile cable
- 1 driver 671000038 / Non Dimmable
- 1 plain glass shade 113741000

T-3744R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
230V / Typ 300 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

326
337


Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3744 with textile cable
- 1 remote driver 671000062 / Dimmable Triac
- 1 plain glass shade 113741000

Ø60 mm drill on dropped ceiling
Orificio Ø60 mm en falso techo

ALFI

T-3744AS - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

364
381

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3744 with textile cable
- 1 driver 671000038 / Non Dimmable
- 1 glass shade with cap 113741XX0

T-3744AR - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
230V / Typ 300 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

362
380


Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3744 with textile cable
- 1 remote driver 671000062 / Dimmable Triac
- 1 glass shade with cap 113741XX0

Ø60 mm drill on dropped ceiling
Orificio Ø60 mm en falso techo

ALFI

L92S.4 - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x3W [2700K / Ang. 120° / >90 CRI 24V] / 100V - 277V / Typ 4x300 lumens
Driver included / Dimmable 0-10V

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
20 GLD M

EURO €


1218
1250

Product includes:

- 1 single canopy 113415XX3
- 4 units of T-3744 with textile cable
- 1 driver 671000049 / Dimmable 0-10V
- 4 plain glass shades 113741000

ALFI

R40S.3A - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x3W [2700K / Ang. 120° / >90 CRI 24V] / 100V - 277V / Typ 3x300 lumens
Driver included / Dimmable 0-10V

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
20 GLD M

EURO €


1442
1487

Product includes:

- 1 single canopy 113415XX6
- 3 units of T-3744 with textile cable
- 1 driver 671000049 / Dimmable 0-10V
- 3 glass shades with cap 113741XX0

ALFI

p-3748



FEATURES / CARACTERÍSTICAS


* LED 3x3W [2700K / Ang. 120° / >90 CRI / 24V] 230V / Typ 3x300 lumens
On/Off cord switch

FINISHES / ACABADOS

26 BLK
20 GLD M


EURO €

1065
1141



ALFI

L120S.6



FEATURES / CARACTERÍSTICAS

* LED 6x3W [2700K / Ang. 120° / >90 CRI / 24V] 100V - 277V / Typ 6x300 lumens
Dimmable 0-10V

FINISHES / ACABADOS

26 BLK
20 GLD M


EURO €

1968
2024

Product includes:

- 1 linear canopy 113743XX7
- 1 stem 652mm 113743XX1
- 3 stems 812mm 113743XX2
- 2 stems 972mm 113743XX3
- 6 plain glass shades 113741000
- 1 driver 671000049 / Dimmable 0-10V

L120S.6A



FEATURES / CARACTERÍSTICAS

* LED 6x3W [2700K / Ang. 120° / >90 CRI / 24V] 100V - 277V / Typ 6x300 lumens
Dimmable 0-10V

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €


2184
2282

Product includes:

- 1 linear canopy 113743XX7
- 1 stem 652mm 113743XX1
- 3 stems 812mm 113743XX2
- 2 stems 972mm 113743XX3
- 6 glass shades with cap 113741XX0
- 1 driver 671000049 / Dimmable 0-10V

ALFI

F120.6



FEATURES / CARACTERÍSTICAS

* LED 6x3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 277V / Typ 6x300 lumens
Dimmable 0-10V / Hard wired (no plug)

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

1974
2043

Product includes:


- 1 linear canopy 113743XX8
- 1 stem 652mm 113743XX1
- 3 stems 812mm 113743XX2
- 2 stems 972mm 113743XX3
- 6 plain glass shades 113741000
- 1 driver 671000049 / Dimmable 0-10V

123749260 KIT F120


Cord & plug with on/off switch. 230V. 2500mm cable length.
Cable y enchufe con interruptor. 230V. 2500mm de longitud.

EURO €

51



F120.6A



FEATURES / CARACTERÍSTICAS

* LED 6x3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 277V / Typ 6x300 lumens
Dimmable 0-10V / Hard wired (no plug)

FINISHES / ACABADOS

26 BLK
20 GLD M

EURO €

2190
2301

Product includes:


- 1 linear canopy 113743XX8
- 1 stem 652mm 113743XX1
- 3 stems 812mm 113743XX2
- 2 stems 972mm 113743XX3
- 6 glass shades with cap 113741XX0
- 1 driver 671000049 / Dimmable 0-10V

123749260 KIT F120

Cord & plug with on/off switch. 230V. 2500mm cable length.
Cable y enchufe con interruptor. 230V. 2500mm de longitud.


EURO €

51



ARO

T-3541S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x10W (2700K / Ang. 85° / >90 CRI / 24V)
100V - 277V / Typ 3x1106 lumens
Driver included / Dimmable 0-10V

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Body: 56 BLK


EURO €

1235

Product includes:

- 1 surface canopy 113541XX2
- 1 unit of T-3541
- 1 driver 671000049 / Dimmable 0-10V

T-3541R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x10W (2700K / Ang. 85° / >90 CRI / 24V)
100V - 277V / Typ 3x1106 lumens
Driver included / Dimmable 0-10V

FINISHES / ACABADOS


Canopy: 26 BLK - 71WH
Body: 56 BLK

EURO €

1164



Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3541
- 1 remote driver 671000049 / Dimmable 0-10V

 Ø 85mm drill on dropped ceiling
Orificio Ø 85mm en falso techo

ARO

T-3542



FEATURES / CARACTERÍSTICAS

* LED 5x10W (2700K / Ang. 85° / >90 CRI / 24V)
100V - 277V / Typ 5x1106 lumens
Driver included / Dimmable 0-10V

FINISHES / ACABADOS

56 BLK

EURO €

2370

Product includes:

- 1 round canopy 113542263
- 1 unit of T-3542

123815262 Vegetation kit



Vegetation kit with artificial greenery included. Not waterproof.
Maximum 30kg

FINISHES / ACABADOS

26 BLK



EURO €

1967



ARO

T-3543



FEATURES / CARACTERÍSTICAS

* LED 7x10W (2700K / Ang. 85° / >90 CRI / 24V)
100V - 277V / Typ 7x1106 lumens
Driver included / Dimmable 0-10V

FINISHES / ACABADOS

56 BLK

EURO €

3047

Product includes:

- 1 round canopy 113542263
- 1 unit of T-3543

123815262 Vegetation kit



Vegetation kit with artificial greenery included. Not waterproof.
Maximum 30kg

FINISHES / ACABADOS

26 BLK



EURO €

1967



ARO

R40S.1M1L



Composition includes:

- 1 round canopy 113542263
- 1 unit of T-3542
- 1 unit of T-3543
- 2 drivers / Dimmable 0-10V

FINISHES / ACABADOS

56 BLK

EURO €

5032

ASANA

P-3768



FEATURES / CARACTERÍSTICAS

* LED 10,7W (2700K / Ang. 120° / >80 CRI / 24V)
100V - 240V / Universal plug
Typ 1068 lumens / Touch dimmer

FINISHES / ACABADOS

Body: 92 MNK
Stem: 61 S GLD
93 GR LM

EURO €

1026
1004

Product includes:

- 1 unit of P-3768
- 1 stem 113768XX0





TABLE KIT

123768922



FINISHES / ACABADOS


92 MNK

EURO €

129

LECTERN KIT

123768923




FINISHES / ACABADOS

92 MNK

EURO €

103



ASANA

P-3769



FEATURES / CARACTERÍSTICAS

* LED 2x5,35W (2700K / Ang. 120° / >80 CRI
24V) / 100V - 240V / Universal plug
Typ 2x535 lumens / Touch dimmer

FINISHES / ACABADOS

Body: 92 MNK
Stem: 61 S GLD
93 GR LM

EURO €

970
992

Product includes:

- 1 unit of P-3769
- 1 stem 113768XX0





TABLE KIT

123768922



FINISHES / ACABADOS


92 MNK

EURO €

129

LECTERN KIT

123768923




FINISHES / ACABADOS

92 MNK


EURO €

103



BALLOON

A-3050



FEATURES / CARACTERÍSTICAS
 LED up to 20W / E27 / 120V - 240V
 On/Off Switch

FINISHES / ACABADOS
 74 WH

EURO €
 253

A-3050L


FEATURES / CARACTERÍSTICAS
 LED up to 20W / E27 / 120V - 240V
 * LED 0,5W / E14 / 120V - 240V
 Nightlight / 3-way switch

FINISHES / ACABADOS
 74 WH

EURO €
 311

BALLOON

t-3052




FEATURES / CARACTERÍSTICAS
 LED up to 20W
 E27 / 120V - 240V
 Dimmable when using dim. lamps

FINISHES / ACABADOS
 74 WH

EURO €
 250

BALLOON

T-3055S



FEATURES / CARACTERÍSTICAS
 LED up to 20W
 E27 / 120V - 240V
 Dimmable when using dim. lamps


FINISHES / ACABADOS
 74 WH

EURO €
 320

Product includes:
 • 1 single canopy 113416710
 • 1 unit of T-3055C with textile cable
 • 1 ceiling holder

BALLOON

R40S.3 - WITH SURFACE CANOPY




Composition includes:
 • 1 round canopy 113415XX6
 • 3 units of T-3055C with textile cable

FINISHES / ACABADOS
 71 WH

EURO €
 1337

BOLS

t-4022X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS


78 OX RED

EURO €

907

BOLS

t-4023X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS


55 BG

EURO €

1000

BOLS

T-4024X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS


78 OX RED

EURO €

1007

BOLS

T-4025X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS


55 BG

EURO €

1102

BOLS

P-4027X - OUTDOOR



IP
65


FEATURES / CARACTERÍSTICAS
* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS
96 BLK ANT

EURO €
1038

TABLE KIT

124027XX2
Polypropylene flower
pot + metal table top
Maximum 3kg




FINISHES / ACABADOS
96 BLK ANT

EURO €
84

FLOWER POT KIT

124027XX3
Polypropylene flower pot
for natural vegetation
Maximum 5,5kg




FINISHES / ACABADOS
96 BLK ANT

EURO €
45

VEGETATION KIT

124027XX7
Artificial greenery



FINISHES / ACABADOS
96 BLK ANT

EURO €
573

**BOLT DOWN FLOOR BASE KIT
KIT ANCLAJE A SUELO**

124027XX6
Metal base




FINISHES / ACABADOS
96 BLK ANT

EURO €
96

BOLS

P-4028X - OUTDOOR



IP
65


FEATURES / CARACTERÍSTICAS
* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS
78 OX RED
96 BLK ANT

EURO €
964
964

TABLE KIT

124028XX2
Polypropylene flower
pot + metal table top
Maximum 5kg




FINISHES / ACABADOS
78 OX RED
96 BLK ANT

EURO €
108
108

FLOWER POT SET

Ø160mm
124028XX4
Includes 3 flower pots + tray




FINISHES / ACABADOS
78 OX RED
96 BLK ANT

EURO €
58
58

FLOWER POT SET

Ø180mm
124028XX5
Includes 3 flower pots + tray




FINISHES / ACABADOS
78 OX RED
96 BLK ANT

EURO €
62
62

VEGETATION KIT

124028XX7
Artificial greenery



FINISHES / ACABADOS
78 OX RED
96 BLK ANT

EURO €
790
790


**BOLT DOWN FLOOR BASE KIT
KIT ANCLAJE A SUELO**

124027XX6
Metal base



FINISHES / ACABADOS
78 OX RED
96 BLK ANT

EURO €
96
96

BUTTON
T-3302S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 9W (3000K / Ang. 45° / >90 CRI
350mA) / 100V - 240V / Typ 1096 lumens
Driver included / Non dimmable

FINISHES / ACABADOS


26 BLK
71 WH
93 GR LM

EURO €

430
430
451

Product includes:

- 1 single canopy 113302XX1
- 1 unit of T-3302 with metal rigid stem
- 1 driver 671000023 / Non Dimmable

T-3302R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 9W (3000K / Ang. 45° / >90 CRI
350mA) / 230V / Typ 1096 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLK
71 WH
93 GR LM


EURO €

402
402
419

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3302 with metal rigid stem
- 1 driver 671000061 / Dimmable Triac

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

T-3302CS - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 9W (3000K / Ang. 45° / >90 CRI
350mA) / 100V - 240V / Typ 1096 lumens
Driver included / Non dimmable

FINISHES / ACABADOS


26 BLK
71 WH
93 GR LM

EURO €

403
403
422

Product includes:

- 1 single canopy 113302XX1
- 1 unit of T-3302C with cable
- 1 driver 671000023 / Non Dimmable

T-3302CR - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 9W (3000K / Ang. 45° / >90 CRI
350mA) / 230V / Typ 1096 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS


26 BLK
71 WH
93 GR LM

EURO €

375
390
390

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3302C with cable
- 1 driver 671000061 / Dimmable Triac


REMOTE DRIVER T-3302R / T-3302CR - 671000023

(Max. 1x10W) / 100V - 240V / Non dimmable

EURO €

31


REMOTE DRIVER T-3302R / T-3302CR - 671000061

(Max. 1x10W) / 230V / Dimmable Triac

EURO €

37

Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo

BUTTON
L92S.3 - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113415XX3
- 3 units of T-3302C with cable
- 3 drivers 671000061 / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Body: 26 BLK
71 WH
93 GR LM


EURO €

1205
1205
1250

Up to 4 additional BUTTON can be added
Posibilidad de añadir hasta 3 BUTTON

BUTTON

T-3305S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x9W (3000K / Ang. 45° / >90 CRI / 24V)
100V - 240V / Typ 3x1096 lumens
Sensor dimmer on each head

Product includes:

- 1 surface canopy 113924XX0
- 1 driver 671000028
- 1 body T-3305
- 3 heads 113305XX0

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Body: 26 BLK
71 WH
93 GR LM

EURO €

1891
1891
1936

T-3305R - WITH RECESSED CANOPY



Ø 55mm drill
Orificio Ø 55mm

Product includes:

- 1 recessed canopy 113534XX2
- 1 driver 671000028
- 1 body T-3305
- 3 heads 113305XX0

FINISHES / ACABADOS


Canopy: 26 BLK - 71WH
Body: 26 BLK
71 WH
93 GR LM

EURO €

1865
1865
1910

BUTTON

T-3306S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x9W (3000K / Ang. 45° / >90 CRI / 24V)
100V - 240V / Typ 4x1096 lumens
Sensor dimmer on each head

Product includes:

- 1 surface canopy 113924XX0
- 1 driver 671000028
- 1 body T-3306
- 4 heads 113305XX0

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Body: 26 BLK
71 WH
93 GR LM

EURO €

2471
2471
2532

T-3306R - WITH RECESSED CANOPY



Ø 55mm drill
Orificio Ø 55mm

Product includes:

- 1 recessed canopy 113534XX2
- 1 remote driver 671000028
- 1 body T-3306
- 4 heads 113305XX0

FINISHES / ACABADOS


Canopy: 26 BLK - 71WH
Body: 26 BLK
71 WH
93 GR LM

EURO €

2445
2445
2506

BUTTON

T-3307S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 5x9W (3000K / Ang. 45° / >90 CRI / 24V)
100V - 240V / Typ 5x1096 lumens
Sensor dimmer on each head

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Body: 26 BLK
71 WH
93 GR LM

EURO €

3140
3140
3201

Product includes:

- 1 surface canopy 113924XX0
- 1 driver 671000028
- 1 body T-3306
- 1 intermediate section 113306XX0
- 5 heads 113305XX0

T-3307R - WITH RECESSED CANOPY



Ø 55mm drill
Orificio Ø 55mm

Product includes:

- 1 recessed canopy 113534XX2
- 1 driver 671000028
- 1 body T-3306
- 1 intermediate section 113306XX0
- 5 heads 113305XX0

FINISHES / ACABADOS


Canopy: 26 BLK - 71WH
Body: 26 BLK
71 WH
93 GR LM

EURO €

3114
3114
3175

CANUT

A-3571



FEATURES / CARACTERÍSTICAS

* LED 3W (3000K / Ang. 50° / >90 CRI
350mA) / 100V - 240V
Typ 350 lumens
Non Dimmable
On/Off switch
Low ripple

FINISHES / ACABADOS

47 NI M
26 BLK
74 WH


EURO €

476
435
435

⊕ * LED 1W (3000K / Ang. 120° >80 CRI / 24V)
100V - 240V
Typ 150 lumens
Non Dimmable

CIRC

A-3702

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

23 GR F
65 BR F

EURO €


390
390

Product includes:

- 1 unit of A-3702
- 1 glass shade kit 113702001

CIRC

A-3703

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

00 PLAIN
23 GR F

EURO €


460
460

Product includes:

- 1 unit of A-3703
- 1 glass shade kit 113702001

CIRC

A-3706

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

00 PLAIN

EURO €

504

Product includes:

- 1 unit of A-3706
- 1 glass shade kit 113702001

A-3706A - WITH MISTING TREATMENT

IP
44

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

00 PLAIN

EURO €

633


Product includes:

- 1 unit of A-3706A
- 1 glass shade kit 113702001

Mirror with misting treatment
Espejo con sistema anti vaho

CIRC

T-3714S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK - 74 WH
Body: 61 S GLD
26 BLK

EURO €

488
441

Product includes:

- 1 surface canopy 113924XX0
- 1 unit of T-3714
- 1 driver 671000061 / Dimmable Triac
- 1 union piece for 2 Circ / 1 pieza unión para 2 Circ

T-3714R - WITH RECESSED CANOPY



Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3714
- 1 remote driver 671000061 / Dimmable Triac
- 1 union piece for 2 Circ / 1 pieza unión para 2 Circ

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 61 S GLD
26 BLK


EURO €

462
415

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

CIRC

T-3715S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 2x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK - 74 WH
Body: 61 S GLD
26 BLK

EURO €

677
587

Product includes:

- 1 surface canopy 113924XX0
- 1 unit of T-3715
- 1 driver 671000043 / Dimmable Triac
- 1 union piece for 2 Circ / 1 pieza unión para 2 Circ

T-3715R - WITH RECESSED CANOPY



Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3715
- 1 remote driver 671000043 / Dimmable Triac
- 1 union piece for 2 Circ / 1 pieza unión para 2 Circ

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 61 S GLD
26 BLK


EURO €

651
561

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

CIRC

T-3716S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 3x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK - 74 WH
Body: 61 S GLD
26 BLK


EURO €

1037
852

Product includes:

- 1 surface canopy 113924XX0
- 1 unit of T-3716
- 1 driver 671000034 / Dimmable Triac
- 1 union piece for 2 Circ / 1 pieza unión para 2 Circ

T-3716R - WITH RECESSED CANOPY



Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3716
- 1 remote driver 671000034 / Dimmable Triac
- 1 union piece for 2 Circ / 1 pieza unión para 2 Circ

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 61 S GLD
26 BLK



EURO €

1011
826

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

CIRC

A-3720 - INDOOR



FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES / ACABADOS

61 S GLD
26 BLK

EURO €

306
268

A-3720X - OUTDOOR

IP
55

FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES / ACABADOS

80 RT
26 BLK

EURO €

306
288

Signage - IN & OUT

Optional laser-cut signage
Minimum order 10 units
Señalización opcional con láser
Pedido mínimo 10 unidades

FINISHES / ACABADOS


71 WH

EURO €

35 €

CIRC

A-3722 - INDOOR



FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES / ACABADOS

61 S GLD
26 BLK

EURO €

358
327

A-3722X - OUTDOOR

IP
55

FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES / ACABADOS


80 RT
26 BLK

EURO €

329
311

CIRC

M-3725 - INDOOR



FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens
Glass shade
On/Off cord switch

FINISHES / ACABADOS

26 BLK

EURO €

582

M-3725X - OUTDOOR

IP
55

FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES / ACABADOS


26 BLK

EURO €

702

CIRC

M-3726X - OUTDOOR



■■■■
IP
67

FEATURES / CARACTERÍSTICAS

* LED 2,5W (3000K / Ang. 120° / >80 CRI)
5200mAh) 230V / Typ 290 lumens
Polyethylene shade

FINISHES / ACABADOS

Indoor & Outdoor: 26 BLK
80 RT

EURO €

281
300

Product includes:

- 1 unit of M-3726X
- 1 charger kit 671000044

Indoor only: 61 S GLD


292

Li on battery / Three position dimming / Remote control

Battery charging time 8-10h / Battery life over 6h at maximum brightness

CIRC

M-3727X - OUTDOOR



■■■■
IP
67

FEATURES / CARACTERÍSTICAS

* LED 2,5W (3000K / Ang. 120° / >80 CRI)
5200mAh) 230V / Typ 290 lumens
Polyethylene shade

FINISHES / ACABADOS

Indoor & Outdoor: 26 BLK
80 RT

EURO €

325
346

Product includes:

- 1 unit of M-3727X
- 1 charger kit 671000044

Indoor only: 61 S GLD


360

Li on battery / Three position dimming / Remote control

Battery charging time 8-10h / Battery life over 6h at maximum brightness

CIRC

M-3728 - INDOOR



FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens
Glass shade
On/Off cord switch

FINISHES / ACABADOS

61 S GLD
26 BLK

EURO €

566
451

M-3728X - OUTDOOR

IP
55

FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES / ACABADOS


26 BLK
80 RT

EURO €

437
456

CIRC

p-3729 - INDOOR



FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens
Glass shade
On/Off cord switch

FINISHES / ACABADOS

61 S GLD
26 BLK

EURO €

675
514

p-3729X - OUTDOOR

IP
55

FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES / ACABADOS


26 BLK
80 RT

EURO €

593
615

CIRC

t-3810S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI)
350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD


EURO €

1349
1568

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3810 + 2 drivers 671000043

t-3810R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI)
350mA) 230V / Typ 4x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €


1243
1462

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3810 + 2 remote drivers 671000043


Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

t-3810AS - WITH SURFACE CANOPY + ACOUSTIC PANEL



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI)
350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac
Glass shade / Acoustic panel

FINISHES / ACABADOS

Canopy: 26 BLK
Acoustic panel: 26 BLK

EURO €



1450

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3810A + 2 drivers 671000043
- 1 acoustic panel 113815264

CIRC

t-3811S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Dimmable Triac / Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD



EURO €

2094
2501

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3811
- 2 drivers 671000043 + 1 driver 671000034

t-3811R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS


Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €



1988
2395

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3811
- 2 remote drivers 671000043 + 1 driver 671000034


Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

t-3811AS - WITH SURFACE CANOPY + ACOUSTIC PANEL



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Driver included / Dimmable Triac
Glass shade / Acoustic panel

FINISHES / ACABADOS

Canopy: 26 BLK
Acoustic panel: 26 BLK

EURO €



2313

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3811A
- 2 drivers 671000043 + 1 driver 671000034
- 1 acoustic panel 113816264

CIRC

T-3815S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD



EURO €

1280
1468

Product includes:

- 1 round canopy 113815263
- 1 unit of T-3815 + 2 drivers 671000043

T-3815R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS


Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €



1174
1362

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of T-3815 + 2 remote drivers 671000043


Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

T-3815AS - WITH SURFACE CANOPY + ACOUSTIC PANEL



FEATURES / CARACTERÍSTICAS

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac
Glass shade / Acoustic panel

FINISHES / ACABADOS

Canopy: 26 BLK
Acoustic panel: 26 BLK


EURO €

1385

Product includes:

- 1 round canopy 113815263
- 1 unit of T-3815A + 2 drivers 671000043
- 1 acoustic panel 113815264

CIRC



T-3816S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 7x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 7x725 lumens
Dimmable Triac / Glass shade

FINISHES / ACABADOS


Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

1972
2320

Product includes:

- 1 round canopy 113815263
- 1 unit of T-3816
- 2 drivers 671000043 + 1 driver 671000034



T-3816R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 7x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 7x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD


EURO €

1866
2214

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of T-3816
- 2 remote drivers 671000043 + 1 driver 671000034

 Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo



T-3816AS - WITH SURFACE CANOPY + ACOUSTIC PANEL

FEATURES / CARACTERÍSTICAS

* LED 7x6,2W [2700K / Ang. 120° / >90 CRI 350mA] 230V / Typ 7x725 lumens
Driver included / Dimmable Triac
Glass shade / Acoustic panel

FINISHES / ACABADOS

Canopy: 26 BLK
Acoustic panel: 26 BLK


EURO €

2198

Product includes:

- 1 round canopy 113815263
- 1 unit of T-3816A
- 2 drivers 671000043 + 1 driver 671000034
- 1 acoustic panel 113816264

CIRC



R30.1SP1MP - WITH SURFACE CANOPY

Composition includes:


- 1 round canopy 113815263
- 1 unit of T-3815
- 1 unit of T-3816
- 4 drivers 671000043
- 1 driver 671000034

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

3061
3597



R12.1SP1MP - WITH RECESSED CANOPY

Composition includes:


- 1 round recessed canopy 113820263
- 1 unit of T-3815
- 1 unit of T-3816
- 4 remote drivers 671000043
- 1 remote driver 671000034


FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

2955
3491

 Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo



R30.1SPA1MP - WITH SURFACE CANOPY + ACOUSTIC PANEL

Composition includes:

- 1 round canopy 113815263
- 1 unit of T-3815A
- 1 unit of T-3816
- 1 acoustic panel 113815264
- 4 drivers 671000043
- 1 driver 671000034

FINISHES / ACABADOS


Canopy: 26 BLK
Acoustic panel: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

3166
3514

CIRC

R30.1MP1VK - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Driver included / Dimmable Triac
Glass shade

Product includes:


- 1 round canopy 113815263
 - 1 unit of T-3816
 - 2 drivers 671000043
 - 1 driver 671000034
 - 1 vegetation KIT 123815262 with artificial greenery included.
- Not waterproof / Maximum 30kg

FINISHES / ACABADOS


Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

3939
4287



R12.1MP1VK - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Remote driver included / Dimmable Triac
Glass shade

Product includes:


- 1 round recessed canopy 113820263
 - 1 unit of T-3816
 - 2 remote drivers 671000043
 - 1 remote driver 671000034
 - 1 vegetation KIT 123815262 with artificial greenery included.
- Not waterproof / Maximum 30kg

FINISHES / ACABADOS

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD


EURO €

3833
4181



CIRC

t-3820S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens
Driver included / Dimmable Triac
Glass shade

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3820C
- 1 driver 671000061


FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK

EURO €

465

t-3820R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens
Remote driver included / Dimmable Triac
Glass shade

Product includes:


- 1 round recessed canopy 113820263
- 1 unit of t-3820C
- 1 remote driver 671000061

FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK


EURO €

359

 \varnothing 45mm drill on dropped ceiling
Orificio \varnothing 45mm en falso techo

CIRC

t-3821S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens
 Driver included / Dimmable Triac
 Glass shade


FINISHES / ACABADOS
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 473

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3821C
- 1 driver 671000061

t-3821R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens
 Remote driver included / Dimmable Triac
 Glass shade

FINISHES / ACABADOS
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 367


Product includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3821C
- 1 remote driver 671000061

 \varnothing 45mm drill on dropped ceiling
 Orificio \varnothing 45mm en falso techo

CIRC

R30.1S1M - WITH SURFACE CANOPY




Composition includes:

- 1 round canopy 113815263
- 1 unit of t-3820C
- 1 unit of t-3821C
- 1 driver 671000043

FINISHES / ACABADOS
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 718

R12.1S1M - WITH RECESSED CANOPY



Composition includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3820C
- 1 unit of t-3821C
- 1 remote driver 671000043


FINISHES / ACABADOS
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 612

 \varnothing 50mm drill on dropped ceiling
 Orificio \varnothing 50mm en falso techo

CIRC

R30.2S1M - WITH SURFACE CANOPY




Composition includes:

- 1 round canopy 113815263
- 2 units of t-3820C
- 1 unit of t-3821C
- 1 driver 671000034

FINISHES / ACABADOS
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 955

R12.2S1M - WITH RECESSED CANOPY




Composition includes:

- 1 round recessed canopy 113820263
- 2 units of t-3820C
- 1 unit of t-3821C
- 1 remote driver 671000034



FINISHES / ACABADOS
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 849

 \varnothing 50mm drill on dropped ceiling
 Orificio \varnothing 50mm en falso techo

CIRC

R30.2S2M - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113815263
- 2 units of t-3820C
- 2 units of t-3821C
- 2 drivers 671000043



FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK

EURO €

1245

R12.2S2M - WITH RECESSED CANOPY

**Composition includes:**

- 1 round recessed canopy 113820263
- 2 units of t-3820C
- 2 units of t-3821C
- 2 remote drivers 671000043

FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK



EURO €

1139

\varnothing 50mm drill on dropped ceiling
Orificio \varnothing 50mm en falso techo

CIRC

R30.4S2M - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113815263
- 4 units of t-3820C
- 2 units of t-3821C
- 2 drivers 671000034



FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK

EURO €

1719

R12.4S2M - WITH RECESSED CANOPY

**Composition includes:**

- 1 round recessed canopy 113820263
- 4 units of t-3820C
- 2 units of t-3821C
- 2 remote drivers 671000034

FINISHES / ACABADOS

Canopy: 26 BLK
Body: 26 BLK


EURO €

1613

\varnothing 50mm drill on dropped ceiling
Orificio \varnothing 50mm en falso techo

CIRC

t-3825

**FEATURES / CARACTERÍSTICAS**

*LED 5x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 5x725 lumens
Driver included / Dimmable Triac
Glass shade and acoustic panel

FINISHES / ACABADOS

Canopy: 26 BLK
Acoustic Panel:
26 BLK & 55 BG

EURO €


1768

Product includes:

- 1 unit of t-3825
- 1 driver 671000034
- 1 driver 671000043

CIRC

M-3826X - OUTDOOR

**FEATURES / CARACTERÍSTICAS**

*LED 2,5W (3000K / Ang. 120° / >80 CRI 5200mAh) 230V / Typ 290 lumens
Polyethylene shade

FINISHES / ACABADOS

46 M GN
78 OX RD

EURO €

316

316

Product includes:



- 1 unit of M-3826X
- 1 charger kit 671000044

Available until end of stock
Disponible hasta agotar existencias

Li Ion battery / Induction charging base
Three position dimming / Remote control / Battery charging time 8-10h
Battery life over 6h at maximum brightness

CIRC

A-3830S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens
 Driver included / Dimmable Triac
 Glass shade

- Product includes:**
- 1 round canopy 113815263
 - 1 unit of A-3830C
 - 1 driver 671000061


FINISHES / ACABADOS

Canopy: 26 BLK
 Body: 26 BLK

EURO €

484

A-3830R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens
 Remote driver included / Dimmable Triac
 Glass shade


- Product includes:**
- 1 round recessed canopy 113820263
 - 1 unit of A-3830C
 - 1 remote driver 671000061

FINISHES / ACABADOS

Canopy: 26 BLK
 Body: 26 BLK



EURO €

378

 Ø50 mm drill on dry wall
 Orificio Ø50 mm en pared de pladur

CIRC

R12.4S - WITH RECESSED CANOPY




- Composition includes:**
- 1 round recessed canopy 113820263
 - 4 units of A-3830C
 - 2 remote drivers 671000043

FINISHES / ACABADOS

Canopy: 26 BLK
 Body: 26 BLK



EURO €

1199

 Ø50 mm drill on dry wall
 Orificio Ø50 mm en pared de pladur

CIRC

R30.6S - WITH SURFACE CANOPY



- Composition includes:**
- 1 round canopy 113815263
 - 6 units of A-3830C
 - 2 drivers 671000034

FINISHES / ACABADOS


Canopy: 26 BLK
 Body: 26 BLK

EURO €

1817

CIRC

t-3832



FEATURES / CARACTERÍSTICAS
 * LED 8W (2700K / Ang. 120° / >90 CRI) 230V / Typ 665 lumens
 Glass shade
 Dimmable Triac

FINISHES / ACABADOS


26 BLK
 61 S GLD

EURO €

237
 254

CIRC

M-3836



FEATURES / CARACTERÍSTICAS

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens
Glass shade
On/Off cord switch

FINISHES / ACABADOS


26 BLK
61 S GLD

EURO €

272
288

CIRC

123815263 - SUSPENSION FLOWER POT KIT



FEATURES / CARACTERÍSTICAS

Flower pot KIT for greenery in black anthracite polyethylene. Plants not included.
Waterproof / Maximum 1,5kg

FINISHES / ACABADOS

26 BLK ANT


EURO €

181

KIT de vegetación para plantas. Plantas no incluidas.
Maceta de polietileno negro antracita.
Resistente al agua / Máximo 1,5kg

CIRC

123815264 - WALL FLOWER POT KIT



FEATURES / CARACTERÍSTICAS

Flower pot KIT for greenery in black anthracite polyethylene. Plants not included.
Waterproof / Maximum 1,5kg

FINISHES / ACABADOS

26 BLK ANT

EURO €


149

KIT de vegetación para plantas. Plantas no incluidas.
Maceta de polietileno negro antracita.
Resistente al agua / Máximo 1,5kg



CUPOLINA

A-3930



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Maximum 2kg

FINISHES / ACABADOS

26 BLK
74 WH
59 TC

EURO €


367
367
405

Product includes:

- 1 unit of A-3930
- 1 shelf maximum 2kg

CUPOLINA

T-3934S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non Dimmable

FINISHES / ACABADOS

26 BLK
74 WH
59 TC


EURO €

256
256
266

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3934 with cable
- 1 driver 671000038 / Non Dimmable

T-3934R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS


26 BLK
74 WH
59 TC

EURO €

244
244
254


Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3934 with cable
- 1 remote driver 671000061 / Dimmable Triac

 45mm drill on dropped ceiling
Orificio 45mm en falso techo

CUPOLINA

T-3935



FEATURES / CARACTERÍSTICAS

* LED 6x6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 6x725 lumens
Driver included / Dimmable Triac

FINISHES / ACABADOS

26 BLK
74 WH

EURO €

1387
1387

Product includes:

- 1 single canopy 113935262
- 1 unit of T-3935
- 2 drivers 671000034 / Dimmable Triac

123935XX0 Acoustic panel with greenery

Acoustic panel with artificial greenery
 $\alpha_w = 0,25$ (Sound absorption indicators)
60% recycled bottles (PET)

FINISHES / ACABADOS


Acoustic Foam Panel:
26 BLK
74 WH

EURO €

1002
1002

CUPOLINA

M-3937



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 725 lumens
On/Off cord switch

FINISHES / ACABADOS


26 BLK
74 WH
59 TC

EURO €

375
375
403

CUPOLINA

p-3939



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 725 lumens
On/Off cord switch

FINISHES / ACABADOS


26 BLK
74 WH
59 TC

EURO €

609
609
665

CYLS

A-3900



FEATURES / CARACTERÍSTICAS

LED up to 10W / E14 / 230V
Dimmable when using dim. lamps

FINISHES / ACABADOS

26 BLK
55 BG

EURO €

134
134

100006400


LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

EURO €

14

CYLS

T-3905



FEATURES / CARACTERÍSTICAS


LED up to 20W / E27 / 120V - 240V
Dimmable when using dim. lamps

FINISHES / ACABADOS

26 BLK
55 BG

EURO €

194
194



T-3905P

FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 120V - 240V
Dimmable when using dim. lamps
Translucent polyester shade

FINISHES / ACABADOS

Shade: 27 WH
Body: 26 BLK
55 BG

EURO €

308
308

Product includes:

- 1 unit of T-3905
- 1 white pearl shade 123905270

100019420


LED 19W / 2700K / E27 / 230V
Typ 2452 lumens / Non Dimmable

EURO €

23

CYLS

M-3906



FEATURES / CARACTERÍSTICAS


LED up to 20W / E27 / 230V
On/Off cord switch

FINISHES / ACABADOS

26 BLK
55 BG

EURO €

161
161



M-3906P

FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch
Translucent polyester shade

FINISHES / ACABADOS

Shade: 27 WH
Body: 26 BLK
55 BG

EURO €

275
275

Product includes:

- 1 unit of M-3906
- 1 white pearl shade 123905270

100019420


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €

23

CYLS

M-3907



FEATURES / CARACTERÍSTICAS

LED up to 10W
E14 / 230V
On/Off cord switch

FINISHES / ACABADOS

26 BLK
55 BG

EURO €

294
294


100006400

LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

EURO €

14

CYLS



p-3908

FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch

FINISHES / ACABADOS


26 BLK
55 BG

EURO €

508
508

Product includes:

- 1 unit of p-3908
- 1 metal base 113908XX2



p-3908P

FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch
Translucent polyester shade

FINISHES / ACABADOS

Shade: 27 WH
Body: 26 BLK
55 BG

EURO €

622
622

Product includes:

- 1 unit of p-3908
- 1 metal base 113908XX2
- 1 white pearl shade 123905270


100019420

LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €

23

CYLS



p-3908M

FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch / Marble base

FINISHES / ACABADOS


26 BLK

EURO €

706

Product includes:

- 1 unit of p-3908
- 1 marble base 113908503



p-3908MP

FEATURES / CARACTERÍSTICAS

LED up to 20W / E27 / 230V
On/Off cord switch / Marble base
Translucent polyester shade

FINISHES / ACABADOS

Shade: 27 WH
Body: 26 BLK

EURO €

820

Product includes:

- 1 unit of p-3908
- 1 marble base 113908503
- 1 white pearl shade 123905270


100019420

LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €

23

ECLIPSI



A-3700 / t-3700

FEATURES / CARACTERÍSTICAS


* LED 2x10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 2x870 lumens
Dimmable Triac
Weight: 4,5Kg

FINISHES / ACABADOS

74 WH

EURO €

464



Signage


Optional laser-cut signage / Minimum order 18 units
Señalización opcional con láser / Pedido mínimo 18 unidades

EURO €

35

ECLIPSI

A-3701 / t-3701




FEATURES / CARACTERÍSTICAS

* LED 2x15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 2x1245 lumens
Dimmable Triac
Weight: 8,5Kg


FINISHES / ACABADOS

74 WH

EURO €
632


FLOW

A-3730



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI)
350mA) / 100V - 240V / Typ 725 lumens
Non dimmable


FINISHES / ACABADOS

61 S GLD
26 BLK
74 WH

EURO €
322
289
289

FLOW

T-3734S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI)
350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable


FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €
314
299
299

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3734C with cable
- 1 driver 671000038 / Non Dimmable



T-3734R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI)
350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €
302
287
287


Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3734C with cable
- 1 remote driver 671000061 / Dimmable Triac

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

FLOW

T-3735S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI)
350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable


FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €
334
318
318

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3735C with cable
- 1 driver 671000038 / Non Dimmable



T-3735R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI)
350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH










EURO €
322
306
306

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3735C with cable
- 1 remote driver 671000061 / Dimmable Triac

Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

FLOW



T-3736S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

338
324
324

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3736C with cable
- 1 driver 671000038 / Non Dimmable

T-3736R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

326
312
312

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3736C with cable
- 1 remote driver 671000061 / Dimmable Triac

Ø 45mm drill on dropped ceiling / Orificio Ø 45mm en falso techo

DRIVER FLOW - 671000038

T-3734 / T-3735 / T-3736 (Max. 1x 6,1W) / 100V - 240V Non dimmable

Ø 40mm drill on dropped ceiling / Orificio Ø 40mm en falso techo

EURO €

31

REMOTE DRIVER FLOW - 671000061

T-3734 / T-3735 / T-3736 (Max. 1x10W) / 230V Dimmable Triac

Ø 45mm drill on dropped ceiling / Orificio Ø 45mm en falso techo

EURO €

37

DRIVER FLOW - 671000034

T-3734 / T-3735 / T-3736 (Min. 2x6,1W - Max. 3x 6,1W) 230V / Dimmable Triac

Ø 50mm drill on dropped ceiling / Orificio Ø 50mm en falso techo

EURO €

45

REMOTE DALI DRIVER FLOW - 671000056

T-3734 / T-3735 / T-3736 (Min. 1x6,1W - Max. 3x 6,1W) / 230V / DALI Dimmable


Remote driver - upon request / bajo pedido

Ø 40mm drill on dropped ceiling / Orificio Ø 40mm en falso techo

EURO €

76

FLOW



L73S.3S - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113415XX1
- 3 units of T-3734C with cable
- 1 driver 671000034 / Dimmable Triac

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

920
875
875

Up to 2 additional FLOW can be added
Posibilidad de añadir hasta 2 FLOW

FLOW



L92S.4S - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113415XX3
- 4 units of T-3734C with cable
- 2 drivers 671000034 / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Shade: 61 S GLD
26 BLK
74 WH


EURO €

1186
1126
1126

Up to 3 additional FLOW can be added
Posibilidad de añadir hasta 3 FLOW

FLOW

L165S.6S - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113415XX7
- 6 units of T-3734C with cable
- 2 drivers 671000034 / Dimmable Triac

Up to 5 additional FLOW can be added
Posibilidad de añadir hasta 5 FLOW

FINISHES / ACABADOS


- Canopy: 26 BLK - 71 WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

- 1736
1646
1646

FLOW

R40S.3S - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113415XX6
- 3 units of T-3734C with cable
- 1 driver 671000034 / Dimmable Triac

FINISHES / ACABADOS


- Canopy: 26 BLK - 71 WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

- 1271
1226
1226

FRAME

A-4050 - INDOOR



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Transparent pyrex glass / Cristal pyrex transparente

FINISHES / ACABADOS


- 74 WH
96 BLK ANT

EURO €

- 274
274

FRAME

A-4051 - INDOOR



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Transparent pyrex glass / Cristal pyrex transparente

FINISHES / ACABADOS

- 74 WH
96 BLK ANT

EURO €

- 292
292

Signage


Optional laser-cut signage
Señalización opcional con láser

EURO €

- 54

FRAME

A-4053X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable

FINISHES / ACABADOS


- 96 BLK ANT

EURO €

- 337

FRAME

P-4054X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)

FINISHES / ACABADOS


96 BLK ANT

EURO €

344

FRAME

P-4055X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)

FINISHES / ACABADOS


96 BLK ANT

EURO €

360

FRAME

P-4056X - OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)
Transparent pyrex glass / Cristal pyrex transparente

FINISHES / ACABADOS


96 BLK ANT

EURO €

394

GADA

A-3921



FEATURES / CARACTERÍSTICAS

* LED 15,5W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 2515 lumens
Non Dimmable

FINISHES / ACABADOS

Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD

EURO €

371

419

419

419

Signage


Optional laser-cut signage / Minimum order 13 units
Señalización opcional con láser / Pedido mínimo 13 unidades

EURO €

35

GADA

T-3924S - WITH SURFACE CANOPY



Ø110 mm
Ø4.3/8"



FEATURES / CARACTERÍSTICAS

* LED 15,5W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 2515 lumens
Driver included / Non Dimmable

Product includes:

- 1 single canopy 113924740
- 1 unit of T-3924
- 1 driver 671000064 / Non Dimmable


FINISHES / ACABADOS

Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD

EURO €

455
502
502
502

T-3924R - WITH RECESSED CANOPY



Ø110 mm
Ø4.3/8"



FEATURES / CARACTERÍSTICAS

* LED 15,5W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 2515 lumens
Driver included / Non Dimmable

Product includes:

- 1 recessed canopy 113534712
- 1 unit of T-3924
- 1 driver 671000064 / Non Dimmable

FINISHES / ACABADOS

Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD


EURO €

429
476
476
476

 Ø 55mm drill on dropped ceiling
Orificio Ø 55mm en falso techo

GADA

T-3925S - WITH SURFACE CANOPY



Ø110 mm
Ø4.3/8"



FEATURES / CARACTERÍSTICAS

* LED 21,5W (3000K / Ang. 90° / >90 CRI 700mA) / 230V / Typ 3460 lumens
Driver included / Non Dimmable

Product includes:

- 1 single canopy 113924740
- 1 unit of T-3925
- 1 driver 671000065 / Non Dimmable


FINISHES / ACABADOS

Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD


EURO €

540
593
593
593

T-3925R - WITH RECESSED CANOPY



Ø110 mm
Ø4.3/8"



FEATURES / CARACTERÍSTICAS

* LED 21,5W (3000K / Ang. 90° / >90 CRI 700mA) / 230V / Typ 3460 lumens
Driver included / Non Dimmable

Product includes:

- 1 single canopy 113534712
- 1 unit of T-3925
- 1 driver 671000065 / Non Dimmable

FINISHES / ACABADOS

Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD


EURO €

514
567
567
567

 Ø 55mm drill on dropped ceiling
Orificio Ø 55mm en falso techo

GADA

M-3927



102 mm
4"



FEATURES / CARACTERÍSTICAS

* LED 15,5W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 2515 lumens
On/Off switch on the base

FINISHES / ACABADOS


Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD

EURO €

550
585
585
585

ICONS

P-1127



FEATURES / CARACTERÍSTICAS

* Hal. up to 200W / 118mm / R7s base
230V / Dimmable

Compatible with Dimmable LED
118mm / R7s base / 230V
Not included

⊕ * LED 6,2W (2700K/ Ang.120°
>90 CRI / 350mA) / 230V
Typ 725 lumens
On/Off Switch

FINISHES / ACABADOS

61 S GLD
37 NI
26 BLK

EURO €

1160
997
967

100015400


R7s Bulb 118mm - LED 15W / 2700K / Typ 2000 lumens / Dimmable

EURO €

56

ICONS

P-1129



FEATURES / CARACTERÍSTICAS

* Hal. up to 200W / 118mm / R7s base
230V / Dimmable

Compatible with Dimmable LED
118mm / R7s base / 230V
Not included

FINISHES / ACABADOS

61 S GLD
37 NI
26 BLK

EURO €

704
665
555

100015400


R7s Bulb 118mm - LED 15W / 2700K / Typ 2000 lumens / Dimmable

EURO €

56

ICONS

p-1139L



FEATURES / CARACTERÍSTICAS

* LED 6,2W (2700K/ Ang. 120°
>90 CRI / 350mA) / 230V
Typ 725 lumens
Push button dimmer

FINISHES / ACABADOS


37 NI
26 BLK

EURO €

675
609

IRIS

t-2713



FEATURES / CARACTERÍSTICAS

LED up to 3x20W
E27 / 120V - 240V
Dimmable when using dim. lamps
Translucent polyester shade

FINISHES / ACABADOS


Shade: 26 BLK
27WH
Body: 37 NI

EURO €

877

IRIS

T-2714




FEATURES / CARACTERÍSTICAS
 LED up to 3x20W
 E27 / 120V - 240V
 Dimmable when using dim. lamps
 Translucent polyester shade

FINISHES / ACABADOS
 Shade: 26 BLK
 27WH
 Body: 37 NI

EURO €
 1095

IRIS

P-2718



FEATURES / CARACTERÍSTICAS
 * LED 3x8,5W (2700K / Ang. 120° / >80 CRI)
 E27 / Typ 3x805 lumens / 230V
 Dimmable
 Translucent polyester shade


FINISHES / ACABADOS
 Shade: 26 BLK
 27WH
 Body: 37 NI

EURO €
 2354

Product includes:
 • 1 unit of P-2718
 • 1 shade 112718XX0X
 • 3 dimmable led bulbs

LAVERD

T-3805




FEATURES / CARACTERÍSTICAS
 * LED 16x3W (2700K / Ang. 60° / >90 CRI
 24V) 100V - 277V / Typ 16x300 lumens
 Driver included / Dimmable 0-10V
 Up and down light

FINISHES / ACABADOS
 Canopy: 26 BLK
 Body: 26 BLK
 Head: 26 BLK
 61 S GLD

EURO €
 1938
 2100


Product includes:
 • 1 round canopy 113805263
 • 1 unit of T-3805
 • 1 driver included / Dimmable 0-10V

Possible shapes / compositions



LAVERD

T-3806




FEATURES / CARACTERÍSTICAS
 * LED 24x3W (2700K / Ang. 60° / >90 CRI
 24V) 100V - 277V / Typ 24x300 lumens
 Driver included / Dimmable 0-10V
 Up and down light

FINISHES / ACABADOS
 Canopy: 26 BLK
 Body: 26 BLK
 Head: 26 BLK
 61 S GLD

EURO €
 3073
 3317

Product includes:
 • 1 round canopy 113805263
 • 1 unit of T-3806
 • 1 driver included / Dimmable 0-10V

Possible shapes / compositions



LAVERD

R11S.1S1M

Composition includes:


- 1 round canopy 113805263
- 1 unit of T-3805
- 1 unit of T-3806
- 1 connection kit 123805262

FINISHES / ACABADOS


- Canopy: 26 BLK
 Body: 26 BLK
 Head: 26 BLK
 61 S GLD

EURO €

5012
 5418



Possible shapes / compositions



LAVERD

R11S.1M1VK

FEATURES / CARACTERÍSTICAS

* LED 24x3W (2700K / Ang. 60° / >90 CRI 24V) 100V - 277V / Typ 24x300 lumens
 Dimmable 0-10V
 Up and down light

Product includes:



- 1 round canopy 113805263
- 1 unit of T-3806
- 1 vegetation KIT 123815262 with artificial greenery included.
 Not waterproof / Maximum 30kg

FINISHES / ACABADOS

- Canopy: 26 BLK
 Body: 26 BLK
 Head: 26 BLK
 61 S GLD

EURO €

5040
 5284



LUCK

T-2443 - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

LED up to 20W
 Globe Ø 95mm / E27 / 120V - 240V
 Dimmable when using dim. lamps

Composition includes:


- 1 single canopy 113416XX0
- 1 unit of T-2443C with textile cable
- 1 ceiling holder

FINISHES / ACABADOS

- Canopy: 26 BLK
 37 NI
 71 WH
 Body: 37 NI
 26 BLK


EURO €

505
 483



LUCK

L73S.3 - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113415XX1
- 3 units of T-2443C with textile cable

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Body: 37 NI
26 BLK

EURO €

1520
1475

LUCK

R40S.3 - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113415XX6
- 3 units of T-2443C with textile cable

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Body: 37 NI
26 BLK

EURO €

1871
1826

LUNE

A-3370-W OUTDOOR



IP
65

FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

Indoor & Outdoor: 26 BLK
74 WH
Indoor only: 61 S GLD
37 NI
52 WD

EURO €

350
350
390
376
412

Signage


Optional laser-cut signage
Señalización opcional con láser

EURO €

54

MAINE

t-3410L / A-3410L

**FEATURES / CARACTERÍSTICAS**

* LED 10W (2700K / Ang. 75° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS


45 CP M
20 GLD M
26 BLK

EURO €

274
274
260

MAINE

T-3415LS - WITH SURFACE CANOPY

**FEATURES / CARACTERÍSTICAS**

* LED 10W (2700K / Ang. 75° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Shade: 45 CP M
20 GLD M
26 BLK

EURO €


362
362
348

Product includes:

- 1 single canopy 113416XX0
- 1 unit of T-3415LC with textile cable
- 1 ceiling holder

MAINE

R40S.3S - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113415XX6
- 3 units of T-3415LC with textile cable

FINISHES / ACABADOS


- Canopy: 26 BLK - 71 WH
 Shade: 45 CP M
 20 GLD M
 26 BLK

EURO €

- 1463
 1463
 1421

MORSE

T-3915S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (2700K / Ang. 45° / >90 CRI 350mA) 230V / Typ 3x725 lumens
 Driver included / Dimmable Triac

FINISHES / ACABADOS

- Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 74 WH


EURO €

- 933
 933

Product includes:

- 1 single canopy 113924XX0
- 1 unit of T-3915
- 1 driver 671000034 / Dimmable Triac

T-3915R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (2700K / Ang. 45° / >90 CRI 350mA) 230V / Typ 3x725 lumens
 Remote driver included / Dimmable Triac

FINISHES / ACABADOS


- Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 74 WH

EURO €

- 907
 907

Product includes:

- 1 single canopy 113534XX2
- 1 unit of T-3915
- 1 remote driver 671000034 / Dimmable Triac



 Ø 55mm drill on dropped ceiling
 Orificio Ø 55mm en falso techo

123915002

Union KIT for more than one Morse / KIT unión para más de una Morse


EURO €

17



NÈBULA

t-3133



FEATURES / CARACTERÍSTICAS

LED up to 3x20W
E27 / 120V - 240V
Dimmable when using dim. lamps

FINISHES / ACABADOS

74 WH


EURO €

423

Available until end of stock
Disponible hasta agotar existencias

NIT

A-3520



FEATURES / CARACTERÍSTICAS

* LED 1W (3000K / Ang. 60° / >80 CRI / 350mA)
100V - 240V / Typ 123 lumens
On/Off switch
2 Amp USB Charger
Low ripple

FINISHES / ACABADOS

26 BLK
74 WH

EURO €


363
363

Product includes:

- 1 unit of A-3520
- 1 top shelf 113520XX0

OBS

A-3220L



FEATURES / CARACTERÍSTICAS

* LED 15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 1245 lumens
Dimmable Triac

FINISHES / ACABADOS


44 CP
61 S GLD
76 WH

EURO €

315
307
228

OBS

T-3226



FEATURES / CARACTERÍSTICAS

* LED 3x10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 3x870 lumens
Dimmable Triac

FINISHES / ACABADOS


61 S GLD
76 WH

EURO €

1097
901

PILA

T-3555S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 10W (2700K / Ang. 120° / >90 CRI) 230V / Typ 870 lumens
Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 56 BLK - 74 WH
Head: CORK

EURO €


368

Product includes:

- 1 single canopy 113416XX0
- 1 unit of T-3555C with textile cable
- 1 ceiling holder

PILA

R40S.3 - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113415XX6
 - 3 units of T-3555C with textile cable
- Dimmable Triac

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Body: 56 BLK - 74 WH
Head: CORK

EURO €

1481

PIU

A-3320L



FEATURES / CARACTERÍSTICAS

* LED 15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 1245 lumens
Dimmable Triac

FINISHES / ACABADOS

74 WH

EURO €

215

Signage

Optional laser-cut signage / Minimum order 25 units


Señalización opcional con láser / Pedido mínimo 25 unidades

EURO €

35

PLUMA

P-2959



FEATURES / CARACTERÍSTICAS

* LED 13W (2700K / Ang. 120° / >80 CRI)
E27 / Typ 1521 lumens / 230V
Dimmable

FINISHES / ACABADOS

Body: 26 BLK
Shade: 64 BLK L

EURO €

1882

Product includes:

- 1 unit of P-2959
- 1 shade 112956XX0
- 1 dimmable LED bulb

122959000 - KIT T-2959

Bottom acrylic diffuser kit optional for black shade.


Kit difusor inferior de metacrilato, opcional para pantalla negra.

EURO €

138

REVOLTA

A-3630



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 45° / >90 CRI / 350mA)
100V - 240V / Non Dimmable
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €


355

A-3630-W (2700K Typ 725 lumens)

A-3630-M (3000K Typ 763 lumens)

REVOLTA

T-3635S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

*LED 6,2W (Ang. 45° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

497

T-3635S-W (2700K Typ 725 lumens)
T-3635S-M (3000K Typ 763 lumens)

Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3635C

123635XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 380 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €

287

Other finishes available, consult our offices

123635XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 380 mm
60% recycled bottles (PET)


FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLK

EURO €

120

Other finishes available, consult our offices



671000056 Dali Driver T-3635

UPON REQUEST / BAJO PEDIDO
DRIVER DALI REVOLTA T-3635
(Min. 1x6,1W - Max. 3x6,1W) / 230V
DALI Dimmable


EURO €



Ø 40mm drill on dropped ceiling
Orificio Ø 40mm en falso techo

76

T-3635R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 45° / >90 CRI 350mA) / 230V
Remote driver included / Dimmable Triac
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

497

T-3635R-W (2700K Typ 725 lumens)
T-3635R-M (3000K Typ 763 lumens)

Product includes:

- 1 recessed canopy 113635XX0R
- 1 unit of T-3635C

FINISHES / ACABADOS

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €

287

Other finishes available, consult our offices

123635XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 380 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €

287

Other finishes available, consult our offices

123635XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 380 mm
60% recycled bottles (PET)


FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLK

EURO €

120

Other finishes available, consult our offices



671000056 Dali Driver T-3635

UPON REQUEST / BAJO PEDIDO
DRIVER DALI REVOLTA T-3635
(Min. 1x6,1W - Max. 3x6,1W) / 230V
DALI Dimmable

EURO €




Ø 40mm drill on dropped ceiling
Orificio Ø 40mm en falso techo

76

REVOLTA

T-3636S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (Ang. 45° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

663

T-3636S-W (2700K Typ 2x725 lumens)
T-3636S-M (3000K Typ 2x763 lumens)

Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3636C

123636XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 600 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €

370

Other finishes available, consult our offices

123636XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 600 mm
60% recycled bottles (PET)


FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLK

EURO €

161

Other finishes available, consult our offices



671000056 Dali Driver T-3636

UPON REQUEST / BAJO PEDIDO
DRIVER DALI REVOLTA T-3636
(Min. 1x6,1W - Max. 3x6,1W) / 230V
DALI Dimmable


EURO €

76

 Ø 40mm drill on dropped ceiling
Ofificio Ø 40mm en falso techo

REVOLTA

T-3636R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

*LED 2x6,2W (Ang. 45° / >90 CRI 350mA) / 230V
Remote driver included / Dimmable Triac
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

663

T-3636R-W (2700K Typ 2x725 lumens)
T-3636R-M (3000K Typ 2x763 lumens)

Product includes:

- 1 recessed canopy 113635XX0R
- 1 unit of T-3636C

123636XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 600 mm
95% Virgin wool, 5% polyamide

FINISHES / ACABADOS

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €

370

Other finishes available, consult our offices

123636XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 600 mm
60% recycled bottles (PET)


FINISHES / ACABADOS

Acoustic Foam Panel:
26 BLK

EURO €

161

Other finishes available, consult our offices




671000056 Dali Driver T-3636

UPON REQUEST / BAJO PEDIDO
DRIVER DALI REVOLTA T-3636
(Min. 1x6,1W - Max. 3x6,1W) / 230V
DALI Dimmable


EURO €

76

 Ø 40mm drill on dropped ceiling
Ofificio Ø 40mm en falso techo

REVOLTA

L73S.2D - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX1
- 2 units of T-3636C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1349

Optional, not included:

- Up to 2 acoustic panels 123636XX0X



L73R.2D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX1R
- 2 units of T-3636C
- 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1349


Optional, not included:

- Up to 2 acoustic panels 123636XX0X

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

REVOLTA

L73S.1S1D - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX1
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS


Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1183

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X



L73R.1S1D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX1R
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1183


Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

REVOLTA

L92S.1S1D - WITH SURFACE CANOPY



- Composition includes:**
- 1 linear canopy 113535XX3
 - 1 unit of T-3635C
 - 1 unit of T-3636C
 - 2 drivers / Dimmable Triac


FINISHES / ACABADOS
Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1183

- Optional, not included:**
- 1 acoustic panel 123635XX0X
 - 1 acoustic panel 123636XX0X

L92R.1S1D - WITH RECESSED CANOPY



- Composition includes:**
- 1 recessed canopy 113535XX3R
 - 1 unit of T-3635C
 - 1 unit of T-3636C
 - 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS
Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €


1183

- Optional, not included:**
- 1 acoustic panel 123635XX0X
 - 1 acoustic panel 123636XX0X


Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo

REVOLTA

L165S.5D - WITH SURFACE CANOPY



- Composition includes:**
- 1 linear canopy 113535XX7
 - 5 units of T-3636C
 - 5 drivers / Dimmable Triac

FINISHES / ACABADOS
Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD


EURO €

3160

- Optional, not included:**
- Up to 5 acoustic panels 123636XX0X

REVOLTA

R40S.1S1D - WITH SURFACE CANOPY



- Composition includes:**
- 1 round canopy 113635XX1
 - 1 unit of T-3635C
 - 1 unit of T-3636C
 - 2 drivers / Dimmable Triac


FINISHES / ACABADOS
Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1483

- Optional, not included:**
- 1 acoustic panel 123635XX0X
 - 1 acoustic panel 123636XX0X

R40R.1S1D - WITH RECESSED CANOPY



- Composition includes:**
- 1 recessed canopy 113635XX1R
 - 1 unit of T-3635C
 - 1 unit of T-3636C
 - 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS
Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €


1114

- Optional, not included:**
- 1 acoustic panel 123635XX0X
 - 1 acoustic panel 123636XX0X


Ø 55mm drill on dropped ceiling
Orificio Ø 55mm en falso techo

REVOLTA

R70S.3S - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113535XX4
- 3 units of T-3635C
- 3 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €


1899

Optional, not included:

- Up to 3 acoustic panels 123635XX0X

REVOLTA

R100S.5S - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113535XX5
- 5 units of T-3635C
- 5 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €


2900

Optional, not included:

- Up to 5 acoustic panels 123635XX0X

REVOLTA

M-3637

**FEATURES / CARACTERÍSTICAS**

* LED 6,2W (Ang. 45° / >90 CRI / 350mA)
100V - 240V / Sensor Dimmer / Universal plug
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €


577

M-3637-W (2700K Typ 725 lumens)

M-3637-M (3000K Typ 763 lumens)

SISO

T-2995

**FEATURES / CARACTERÍSTICAS**

LED up to 3x20W
E27 / 120V - 240V
Dimmable when using dim. lamps

FINISHES / ACABADOS

44 CP
22 CH
71 WH

EURO €


1059

945

826

SISO

T-2996

**FEATURES / CARACTERÍSTICAS**

LED up to 3x20W
E27 / 120V - 240V
Dimmable when using dim. lamps


FINISHES / ACABADOS

71 WH

EURO €

1219

Available until end of stock
Disponibile hasta agotar existencias

SMILE
A-3350

 IP
44

FEATURES / CARACTERÍSTICAS

 El. Fluorescent 24W / T5 HO / 230V
Non dimmable

FINISHES / ACABADOS


 26 BLK
74 WH

EURO €

 308
308

Product includes:

- 1 unit body A-3350
- 1 front plate 113350XX0


 Compatible with 600mm LED
T5 HF / 230V / Not included


Optional laser-cut signage / Minimum order 25 units

Señalización opcional con láser / Pedido mínimo 25 unidades

EURO €

35

SMILE
A-3351

 IP
44

FEATURES / CARACTERÍSTICAS

 El. Fluorescent 39W / T5 HO / 100V - 277V
Non dimmable

FINISHES / ACABADOS


 26 BLK
74 WH

EURO €

 349
349

Product includes:

- 1 unit body A-3351
- 1 front plate 113351XX0


 Compatible with 900mm LED
T5 HF / 230V / Not included


Optional laser-cut signage / Minimum order 25 units

Señalización opcional con láser / Pedido mínimo 25 unidades

EURO €

35

SMILE
A-3350A

 IP
44

FEATURES / CARACTERÍSTICAS

 El. Fluorescent 24W / T5 HO / 230V
Non dimmable

FINISHES / ACABADOS

 26 BLK
74 WH


EURO €

 348
348

Product includes:

- 1 body A-3350
- 1 front plate 113350XX0A

 Compatible with 600mm LED
T5 HF / 230V / Not included

SMILE
A-3351A

 IP
44

FEATURES / CARACTERÍSTICAS

 El. Fluorescent 39W / T5 HO / 100V - 277V
Non dimmable

FINISHES / ACABADOS

 26 BLK
74 WH

EURO €

 407
407



Product includes:

- 1 body A-3351
- 1 front plate 113351XX0A

 Compatible with 900mm LED
T5 HF / 230V / Not included

VOLTA

A-3530



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 45° / >90 CRI / 350mA)
 100V - 240V / Non Dimmable
 Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD

EURO €
 321

A-3530-W (2700K Typ 725 lumens)
 A-3530-M (3000K Typ 763 lumens)

FINISHES / ACABADOS
 71 WH

EURO €
 321


123530260 KIT A-3530

Cord & plug with on/off switch. 1400mm cable length.
 Cable y enchufe con interruptor. 1400mm de longitud.

EURO €
 34

VOLTA

A-3531



FEATURES / CARACTERÍSTICAS
 * LED 6,2W (Ang. 45° / >90 CRI / 350mA)
 100V - 240V / Non Dimmable
 Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD

EURO €
 360

A-3530-W (2700K Typ 725 lumens)
 A-3530-M (3000K Typ 763 lumens)

FINISHES / ACABADOS
 71 WH

EURO €
 360


123530260 KIT A-3530

Cord & plug with on/off switch. 1400mm cable length.
 Cable y enchufe con interruptor. 1400mm de longitud.

EURO €
 34

VOLTA

T-3532S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (Ang. 15° / >90 CRI / 350mA)
 230V / Driver included / Dimmable Triac

FINISHES / ACABADOS
 Canopy: 26 BLK
 Body: 26 BLK
 Head: 26 BLK
 61 S GLD


EURO €
 515
 527

T-3532S-W (2700K Typ 3x725 lumens)
 T-3532S-M (3000K Typ 3x763 lumens)

Product includes:

- 1 single canopy 113924XX0
- 1 unit of T-3532
- 1 driver 671000034 / Dimmable Triac

T-3532R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS
 * LED 3x6,2W (Ang. 15° / >90 CRI / 350mA)
 230V / Remote Driver included
 Dimmable Triac

FINISHES / ACABADOS
 Canopy: 26 BLK
 Body: 26 BLK
 Head: 26 BLK
 61 S GLD

EURO €
 489
 501

T-3532R-W (2700K Typ 3x725 lumens)
 T-3532R-M (3000K Typ 3x763 lumens)

Product includes:


- 1 recessed canopy 113534XX2
- 1 unit of T-3532
- 1 remote driver 671000034 / Dimmable Triac

Ø 50mm drill on dropped ceiling
 Orificio Ø 50mm en falso techo

671000056 DALI DRIVER T-3535 / T-3536

UPON REQUEST / BAJO PEDIDO DRIVER DALI VOLTA T-3532 / T-3532
 (Min. 1x6,1W - Max. 3x6,1W) / 230V / DALI Dimmable


EURO €
 76



Ø 40mm drill on dropped ceiling
 Orificio Ø 40mm en falso techo

VOLTA

A-3533S / t-3533S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 15° / >90 CRI / 350mA)
100V - 240V
Driver included / Non Dimmable
Additional 45° optic lens included

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
Canopy: 26 BLK	
Head: 26 BLK	217
61 S GLD	231

A-3533S-W (2700K Typ 725 lumens)
A-3533S-M (3000K Typ 763 lumens)

FINISHES / ACABADOS


FINISHES / ACABADOS	EURO €
71 WH	217

t-3533S-W (2700K Typ 725 lumens)
t-3533S-M (3000K Typ 763 lumens)

Product includes:

- 1 single canopy 113740XX2
- 1 unit of A-3533 or t-3533
- 1 driver 671000038 / Non Dimmable

A-3533R / t-3533R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 15° / >90 CRI / 350mA)
230V
Remote driver included / Dimmable Triac
Additional 45° optic lens included

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
Canopy: 26 BLK	
Head: 26 BLK	166
61 S GLD	180

A-3533R-W (2700K Typ 725 lumens)
A-3533R-M (3000K Typ 763 lumens)


FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
71 WH	166

t-3533R-W (2700K Typ 725 lumens)
t-3533R-M (3000K Typ 763 lumens)


Product includes:

- 1 unit of A-3533 or t-3533
- 1 remote driver 671000061 / Dimmable Triac

 Ø 55mm drill on dropped ceiling
Orificio Ø 55mm en falso techo

VOLTA

T-3534S - WITH SURFACE CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 45° / >90 CRI / 350mA)
100V - 240V / Driver included / Non dimmable
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
Canopy: 26 BLK - 71 WH	
Body: 26 BLK	
Head: 26 BLK - 61 S GLD	293

T-3534S-W (2700K Typ 725 lumens)
T-3534S-M (3000K Typ 763 lumens)


FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
71 WH	293

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3534C with cable
- 1 driver 671000038 / Non Dimmable

T-3534R - WITH RECESSED CANOPY



FEATURES / CARACTERÍSTICAS

* LED 6,2W (Ang. 45° / >90 CRI / 350mA)
230V
Remote driver included / Dimmable Triac
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
Canopy: 26 BLK - 71 WH	
Body: 26 BLK	
Head: 26 BLK - 61 S GLD	281


T-3534R-W (2700K Typ 725 lumens)
T-3534R-M (3000K Typ 763 lumens)

FINISHES / ACABADOS

FINISHES / ACABADOS	EURO €
71 WH	281


Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3534C with cable
- 1 remote driver 671000061 / Dimmable Triac

 Ø 45mm drill on dropped ceiling
Orificio Ø 45mm en falso techo

VOLTA

L73S.3S - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113415XX1
- 3 units of T-3534C with cable
- 1 driver 671000034 / Dimmable Triac

Up to 2 additional VOLTA can be added
Posibilidad de añadir hasta 2 VOLTA

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

857

FINISHES / ACABADOS


71 WH

EURO €

857

VOLTA

L92S.4S - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113415XX3
- 4 units of T-3534C with cable
- 2 drivers 671000034 / Dimmable Triac

Up to 3 additional VOLTA can be added
Posibilidad de añadir hasta 3 VOLTA

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1102

FINISHES / ACABADOS


71 WH

EURO €

1102

VOLTA

L165S.6S - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113415XX7
- 6 units of T-3534C with cable
- 2 drivers 671000034 / Dimmable Triac

Up to 5 additional VOLTA can be added
Posibilidad de añadir hasta 5 VOLTA

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1610


FINISHES / ACABADOS

71 WH

EURO €

1610

VOLTA



T-3535S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (Ang. 45° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

560

T-3535S-W (2700K Typ 2x725 lumens)
T-3535S-M (3000K Typ 2x763 lumens)

Product includes:


- 1 single canopy 113635XX0
- 1 unit of T-3535C

FINISHES / ACABADOS

71 WH

EURO €

560



T-3535R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 2x6,2W (Ang. 45° / >90 CRI / 350mA)
230V / Remote Driver included
Dimmable Triac
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

560

T-3535R-W (2700K Typ 2x725 lumens)
T-3535R-M (3000K Typ 2x763 lumens)

Product includes:


- 1 recessed canopy 113635XX0R
- 1 unit of T-3535C


FINISHES / ACABADOS

71 WH

EURO €

560

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo 




671000056 DALI DRIVER T-3535 / T-3536


UPON REQUEST / BAJO PEDIDO DRIVER DALI VOLTA T-3535 / T-3536
(Min. 1x6,1W - Max. 3x6,1W) / 230V / DALI Dimmable

EURO €

76

Ø 40mm drill on dropped ceiling
Orificio Ø 40mm en falso techo 

VOLTA



T-3536S - WITH SURFACE CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (Ang. 45° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

728

T-3536S-W (2700K Typ 3x725 lumens)
T-3536S-M (3000K Typ 3x763 lumens)

Product includes:


- 1 single canopy 113635XX0
- 1 unit of T-3536C

FINISHES / ACABADOS

71 WH

EURO €

728



T-3536R - WITH RECESSED CANOPY

FEATURES / CARACTERÍSTICAS

* LED 3x6,2W (Ang. 45° / >90 CRI / 350mA)
230V / Remote Driver included
Dimmable Triac
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

728

T-3536R-W (2700K Typ 3x725 lumens)
T-3536R-M (3000K Typ 3x763 lumens)

Product includes:


- 1 recessed canopy 113635XX0R
- 1 unit of T-3536C


FINISHES / ACABADOS

71 WH

EURO €

728

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo 




671000056 DALI DRIVER T-3535 / T-3536



UPON REQUEST / BAJO PEDIDO DRIVER DALI VOLTA T-3535 / T-3536
(Min. 1x6,1W - Max. 3x6,1W) / 230V / DALI Dimmable

EURO €

76

Ø 40mm drill on dropped ceiling
Orificio Ø 40mm en falso techo 

VOLTA



L73S.2D - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX1
- 2 units of T-3535C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1143

FINISHES / ACABADOS

71 WH

EURO €

1143

L73R.2D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX1R
- 2 units of T-3535C
- 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1143

FINISHES / ACABADOS

71 WH



EURO €

1143

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo



VOLTA



L78S.1D1T - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX2
- 1 unit of T-3535C
- 1 unit of T-3536C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1311

FINISHES / ACABADOS

71 WH

EURO €

1311

L78R.1D1T - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX2R
- 1 unit of T-3535C
- 1 unit of T-3536C
- 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1311

FINISHES / ACABADOS

71 WH




EURO €

1311

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo



VOLTA



L92S.2T - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX3
- 2 units of T-3536C
- 2 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1479

FINISHES / ACABADOS

71 WH

EURO €

1479

L92R.2T - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX3R
- 2 units of T-3536C
- 2 remote drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1479

FINISHES / ACABADOS

71 WH

EURO €


1479

Ø 50mm drill on dropped ceiling
Orificio Ø 50mm en falso techo



VOLTA

L165S.3D - WITH SURFACE CANOPY



- Composition includes:**
- 1 linear canopy 113535XX7
 - 3 units of T-3535C
 - 3 drivers / Dimmable Triac

FINISHES / ACABADOS
 Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD


EURO €
 1727

FINISHES / ACABADOS
 71 WH

EURO €
 1727

VOLTA

L165S.1T1D1T - WITH SURFACE CANOPY



- Composition includes:**
- 1 linear canopy 113535XX7
 - 1 unit of T-3535C
 - 2 units of T-3536C
 - 3 drivers / Dimmable Triac

FINISHES / ACABADOS
 Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD



EURO €
 2063

FINISHES / ACABADOS
 71 WH

EURO €
 2063

VOLTA

L165S.1D2T - WITH SURFACE CANOPY



- Composition includes:**
- 1 linear canopy 113535XX7
 - 1 unit of T-3535C
 - 2 units of T-3536C
 - 3 drivers / Dimmable Triac

FINISHES / ACABADOS
 Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD



EURO €
 2063

FINISHES / ACABADOS
 71 WH

EURO €
 2063

VOLTA

L165S.3D2T - WITH SURFACE CANOPY



- Composition includes:**
- 1 linear canopy 113535XX7
 - 3 units of T-3535C
 - 2 units of T-3536C
 - 5 drivers / Dimmable Triac

FINISHES / ACABADOS
 Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD


EURO €
 2981

FINISHES / ACABADOS
 71 WH

EURO €
 2981

VOLTA

R70S.3D - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113535XX4
- 3 units of T-3535C
- 3 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

2088

FINISHES / ACABADOS


71 WH

EURO €

2088

VOLTA

R100S.5D - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113535XX5
- 5 units of T-3535C
- 5 drivers / Dimmable Triac

FINISHES / ACABADOS

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

3215

FINISHES / ACABADOS


71 WH

EURO €

3215

VOLTA

M-3537

**FEATURES / CARACTERÍSTICAS**

* LED 6,2W (Ang. 45° / >90 CRI
350mA) / 230V
On / Off Switch
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

369

M-3537-W (2700K Typ 725 lumens)

M-3537-M (3000K Typ 763 lumens)

FINISHES / ACABADOS


71 WH

EURO €

369

VOLTA

p-3538

**FEATURES / CARACTERÍSTICAS**

* LED 6,2W (Ang. 45° / >90 CRI
350mA) / 230V
Push button dimmer on the head
Optional 15° optic lens (see pag. 56)

FINISHES / ACABADOS

Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

484

p-3538-W (2700K Typ 725 lumens)

p-3538-M (3000K Typ 763 lumens)

FINISHES / ACABADOS

71 WH

EURO €

484


DRIVERS, REPLACEMENTS AND CANOPIES
DRIVERS, RECAMBIOS Y FLORONES

DRIVER	671000023	FEATURES / CARACTERÍSTICAS DRIVER BUTTON 10W (1x10W) 350mA / 100V - 240V / Non dimmable	EURO € 31
			Ø 50mm drill on dropped ceiling Orificio Ø 50mm en falso techo
DRIVER	671000028	FEATURES / CARACTERÍSTICAS DRIVER BUTTON 60W (Max. 5x10W) 24V / 100V - 240V / Dimmable Triac	EURO € 78
			Ø 55mm drill on dropped ceiling Orificio Ø 55mm en falso techo
DRIVER	671000034	FEATURES / CARACTERÍSTICAS DRIVER CIRC / CUPOLINA / FLOW / MORSE / REVOLTA / VOLTA (Min. 2x6,1W - Max. 3x 6,1W) 350mA / 230V / Dimmable Triac	EURO € 45
			Ø 55mm drill on dropped ceiling Orificio Ø 55mm en falso techo
DRIVER	671000038	FEATURES / CARACTERÍSTICAS DRIVER ALFI WALL / CIRC / CUPOLINA / FLOW / VOLTA (Max. 1x 6,1W) 24V & 350mA / 100V - 240V / Non dimmable	EURO € 31
			Ø 40mm drill on dropped ceiling Orificio Ø 40mm en falso techo
DRIVER	671000043	FEATURES / CARACTERÍSTICAS DRIVER CIRC / VOLTA / REVOLTA (2x6,1W) 350mA / 230V / Dimmable Triac	EURO € 45
			Ø 80mm drill on dropped ceiling Orificio Ø 80mm en falso techo
DRIVER 0-10V	671000049	FEATURES / CARACTERÍSTICAS DRIVER ALFI SUSPENSION / ARO 45W / 24V / 100V - 277V Dimmable 0-10V	EURO € 66
			Ø 85mm drill on dropped ceiling Orificio Ø 85mm en falso techo
DRIVER DALI	671000056	FEATURES / CARACTERÍSTICAS DRIVER DALI UPON REQUEST / BAJO PEDIDO ALFI WALL / CIRC (6,2W) / CUPOLINA / FLOW / MORSE / REVOLTA / VOLTA (Min. 1x6,1W - Max. 3x6,1W) 350mA / 230V / DALI Dimmable	EURO € 76
			Ø 40mm drill on dropped ceiling Orificio Ø 40mm en falso techo
DRIVER	671000061	FEATURES / CARACTERÍSTICAS REMOTE DRIVER ALFI WALL / BUTTON T-3302 / CUPOLINA / FLOW / REVOLTA / VOLTA T-3534 (Max. 1x10W) 350mA / 230V / Dimmable Triac	EURO € 37
			Ø 45mm drill on dropped ceiling Orificio Ø 45mm en falso techo
DRIVER	671000062	FEATURES / CARACTERÍSTICAS DRIVER ALFI SUSPENSION 20W / 24V / 230V / Dimmable Triac	EURO € 47
			Ø 60mm drill on dropped ceiling Orificio Ø 60mm en falso techo
DRIVER	671000064	FEATURES / CARACTERÍSTICAS DRIVER GADA 22W 500mA / 230V / Non dimmable	EURO € 42
			Ø 55mm drill on dropped ceiling Orificio Ø 55mm en falso techo

DRIVER	671000065			
	FEATURES / CARACTERÍSTICAS DRIVER GADA 31W / 700mA / 230V Non Dimmable		EURO € 42	Ø 55mm drill on dropped ceiling Orificio Ø 55mm en falso techo
BULB / BOMBILLA (IRIS)	100008400			
	FEATURES / CARACTERÍSTICAS LED 8,5W (2700K) / Typ 806 lumens E27 / 230V / Dimmable		EURO € 20	
BULB / BOMBILLA (PLUMA)	100013420			
	FEATURES / CARACTERÍSTICAS LED 13W (2700K) / Typ 1521 lumens E27 / 230V / Dimmable		EURO € 27	
BULB / BOMBILLA (CYLS)	100019420			
	FEATURES / CARACTERÍSTICAS LED 19W (2700K) / Typ 2452 lumens E27 / 230V / Non dimmable		EURO € 34	
BULB / BOMBILLA (CYLS)	100006400			
	FEATURES / CARACTERÍSTICAS LED 6W (2700K) / Typ 650 lumens E14 / 230V / Non dimmable		EURO € 14	
BULB / BOMBILLA (ICONS)	100015400			
	FEATURES / CARACTERÍSTICAS LED 15W (2700K) / Typ 2000 lumens R7s Bulb 118mm / Dimmable		EURO € 56	
OPTIC LENS 15° (VOLTA / REVOLTA)	123530XX3			
	FEATURES / CARACTERÍSTICAS Embedded optic lens 15° / Óptica encastrada 15° Compatible with Volta / Revolta	FINISHES / ACABADO 26 BLK 61 S GLD 71 WH	EURO € 26 27 26	
SPARE LED KIT (VOLTA / REVOLTA / FLOW / CUPOLINA)	123530000			
	FEATURES / CARACTERÍSTICAS Spare LED 2700K (Volta / Revolta / Flow / Cupolina) Recambio LED 2700K (Volta / Revolta / Flow / Cupolina)		EURO € 47	
	123530001			
	FEATURES / CARACTERÍSTICAS Spare LED 3000K (Volta / Revolta / Flow) Recambio LED 3000K (Volta / Revolta / Flow / Cupolina)		EURO € 47	
SPARE LED KIT (CIRC)	123810000			
	FEATURES / CARACTERÍSTICAS Spare LED 2700K (Circ 6,2W) Recambio LED 2700K (Circ 6,2W)		EURO € 47	
SPARE LED KIT (ARO)	670000088			
	FEATURES / CARACTERÍSTICAS Spare LED 2700K (Aro 10W) Recambio LED 2700K (Aro 10W)		EURO € 103	
SPARE DIMMER (IRIS)	662007400			
	FEATURES / CARACTERÍSTICAS Dimmer replacement (Iris M-2717 / P-2718 / P-2719) Recambio regulador (Iris M-2717 / P-2718 / P-2719)		EURO € 77	


SPARE PARTS (ICONS AND CLASSICS COLLECTIONS)

460978011

**FEATURES / CARACTERÍSTICAS**

Bulb protector (Halogen 118mm / R7s base)
Protector bombilla (Halogen 118mm / R7s base)

EURO €
11




461124000

FEATURES / CARACTERÍSTICAS

Bottom glass diffuser (Icons P-1127 / P-1129)
Difusor de cristal inferior (Icons P-1127 / P-1129)

EURO €
7




660005600

FEATURES / CARACTERÍSTICAS

Dimmer (Icons P-1127 / P-1129)
(Classics P-1171 / P-1173 / P-1070 / P-1170
P-1122 / P-1062 / P-1225 / P-1235 / P-1062)

EURO €
54




660020006

FEATURES / CARACTERÍSTICAS

Transformer (Icons P-1127)
Transformador (Icons P-1127)

EURO €
55




480997002

FEATURES / CARACTERÍSTICAS

Potenciometer (Icons P-1127)
(Classics P-1171 / P-1173 / P-1070
P-1170 / P-2373 / P-1225 / P-1235)

EURO €
27



480524001


FEATURES / CARACTERÍSTICAS

Potenciometer (Icons P-1129)
(Classics P-1122 / P-1062)

EURO €
16

SINGLE CANOPY

113302XX1

**FEATURES / CARACTERÍSTICAS**

Canopy for 1 single pendant T-3302 Sujeción
para 1 suspensión individual T-3302
Compatible with T-3302C adding strain relief
441137XX0 + 510037524


FINISHES / ACABADO

26 BLK
71 WH
93 GR LM

EURO €
78
78
82

SINGLE CANOPY

113416XX0

**FEATURES / CARACTERÍSTICAS**

Canopy for 1 single pendant
1 ceiling holder included
Sujeción para 1 suspensión individual
1 pinza de sujeción a techo incluida
Compatible with items: T-2443C / T-3055C
T-3415C / T-3555C


FINISHES / ACABADO

26 BLK
37 NI
71 WH

EURO €
62
69
62

MULTIPOINT CANOPY

113415XX0

**FEATURES / CARACTERÍSTICAS**

Canopy for 7 single pendants,
7 ceiling holders included
Sujeción para 7 suspensiones individuales
7 pinzas de sujeción a techo incluidas
Compatible with items: T-2443C / T-3055C / T-3302C / T-3415C
T-3534C T-3555C / T-3734C / T-3735C / T-3736C / T-3744 / T-3934


FINISHES / ACABADO

26 BLK
71 WH

EURO €
303
303

SURFACE SINGLE CANOPY

113534XX0



FEATURES / CARACTERÍSTICAS

Canopy for 1 single pendant
 Sujeción para 1 suspensión individual
 Compatible with items: T-3534C / T-3734C
 T-3735C / T-3736C / T-3744 / T-3934


FINISHES / ACABADO

20 GLD M
 26 BLK
 59 TC
 71 WH

EURO €
64
62
67
62

RECESSED SINGLE CANOPY

113534XX2



FEATURES / CARACTERÍSTICAS

Recessed canopy for 1 single pendant.
 Sujeción empotrada para 1 suspensión.
 Compatible with items: T-3302 / T-3305 / T-3306
 T-3307 / T-3534 / T-3541 / T-3714 / T-3715 / T-3716
 T-3734 / T-3735 / T-3736 / T-3744 / T-3915 / T-3934


FINISHES / ACABADO

20 GLD M
 26 BLK
 59 TC
 71 WH

EURO €
47
44
49
44

LINEAR MULTIPLE CANOPY - L73S

113415XX1



FEATURES / CARACTERÍSTICAS

Canopy for 5 single pendants
 Sujeción para 5 suspensiones individuales
 Compatible with items: T-2443C / T-3055C
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C
 T-3735C / T-3736C / T-3744 / T-3934


FINISHES / ACABADO

26 BLK
 71 WH

EURO €
212
212

LINEAR MULTIPLE CANOPY - L92S

113415XX3



FEATURES / CARACTERÍSTICAS

Canopy for 7 single pendants
 Sujeción para 7 suspensiones individuales
 Compatible with items: T-2443C / T-3055C
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C
 T-3735C / T-3736C / T-3744 / T-3934


FINISHES / ACABADO

26 BLK
 71 WH

EURO €
212
212

LINEAR MULTIPLE CANOPY - L165S

113415XX7



FEATURES / CARACTERÍSTICAS

Canopy for 11 single pendants
 Sujeción para 11 suspensiones individuales
 Compatible with items: T-2443C / T-3055C
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C
 T-3735C / T-3736C / T-3744 / T-3934

FINISHES / ACABADO

26 BLK
 71 WH

EURO €
320
320

ROUND MULTIPLE CANOPY - R40S

113415XX6



FEATURES / CARACTERÍSTICAS

Canopy for 3 single pendants
 Sujeción para 3 suspensiones individuales
 Compatible with items: T-2443C / T-3055C
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C
 T-3735C / T-3736C / T-3744 / T-3934


FINISHES / ACABADO

26 BLK
 71 WH

EURO €
563
563

ROUND MULTIPLE CANOPY - R70S

113415XX4



FEATURES / CARACTERÍSTICAS

Canopy for 7 single pendants
 Sujeción para 7 suspensiones individuales
 Compatible with items: T-2443C / T-3055C
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C
 T-3735C / T-3736C / T-3744 / T-3934


FINISHES / ACABADO

26 BLK
 71 WH

EURO €
794
794

ROUND MULTIPLE CANOPY - R100S

113415XX5






























FEATURES / CARACTERÍSTICAS

















Canopy for 17 single pendants
 Sujeción para 17 suspensiones individuales
 Compatible with items: T-2443C / T-3055C
 T-3302C / T-3415C / T-3534C / T-3555C / T-3734C
 T-3735C / T-3736C / T-3744 / T-3934

FINISHES / ACABADO

26 BLK
 71 WH

EURO €
1029
1029

SURFACE SINGLE CANOPY (VOLTA / REVOLTA)		113635XX0			
44 mm 1.3/4"		1 REVOLTA T-3635S	FEATURES / CARACTERÍSTICAS Canopy for 1 volta / revolta pendant Sujeción para 1 suspensión volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 101 101
40 mm 1.5/8"					
RECESSED SINGLE CANOPY (VOLTA / REVOLTA)		113635XX0R			
60 mm 2.3/8"		1 REVOLTA T-3635R	FEATURES / CARACTERÍSTICAS Recessed canopy for 1 pendant Sujeción empotrada para 1 suspensión Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 101 101
					
SURFACE LINEAR CANOPY - L73S (VOLTA / REVOLTA)		113535XX1			
60 mm 2.3/8"		2 VOLTA T-3535	FEATURES / CARACTERÍSTICAS Canopy for 2 volta / revolta pendants Sujeción para 2 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 225 225
32.5 mm 1.1/2"					
RECESSED LINEAR CANOPY - L73R (VOLTA / REVOLTA)		113535XX1R			
100 mm 3.7/8"		2 VOLTA T-3535	FEATURES / CARACTERÍSTICAS Recessed canopy for 2 pendants ujeción empotrada para 2 suspensiones Compatible with items: T-3535 / T-3536 T-3635 / T-3636	FINISHES / ACABADO 26 BLK 71 WH	EURO € 225 225
					
SURFACE LINEAR CANOPY - L78S (VOLTA / REVOLTA)		113535XX2			
60 mm 2.3/8"		1 VOLTA T-3535 1 VOLTA T-3536	FEATURES / CARACTERÍSTICAS Canopy for 2 volta / revolta pendants Sujeción para 2 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 225 225
32.5 mm 1.1/2"					
RECESSED LINEAR CANOPY - L78R (VOLTA / REVOLTA)		113535XX2R			
100 mm 3.7/8"		1 VOLTA T-3535 1 VOLTA T-3536	FEATURES / CARACTERÍSTICAS Recessed canopy for 2 pendants Sujeción empotrada para 2 suspensiones Compatible with items: T-3535 / T-3536 T-3635 / T-3636	FINISHES / ACABADO 26 BLK 71 WH	EURO € 225 225
					
SURFACE LINEAR CANOPY - L92S (VOLTA / REVOLTA)		113535XX3			
60 mm 2.3/8"		1 REVOLTA T-3635 1 REVOLTA T-3636	FEATURES / CARACTERÍSTICAS Canopy for 2 volta / revolta pendants Sujeción para 2 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 225 225
32.5 mm 1.1/2"					
RECESSED LINEAR CANOPY - L92R (VOLTA / REVOLTA)		113535XX3R			
100 mm 3.7/8"		1 REVOLTA T-3635 1 REVOLTA T-3636	FEATURES / CARACTERÍSTICAS Recessed canopy for 2 pendants Sujeción empotrada para 2 suspensiones Compatible with items: T-3535 / T-3536 T-3635 / T-3636	FINISHES / ACABADO 26 BLK 71 WH	EURO € 225 225
					
SURFACE LINEAR CANOPY - L165S (VOLTA / REVOLTA)		113535XX7			
32.5 mm 1.1/2"		3 VOLTA T-3535 + 2 VOLTA T-3536	FEATURES / CARACTERÍSTICAS Canopy for 5 volta / revolta pendants Sujeción para 5 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 350 350
110 mm 4.3/8"					

ROUND MULTIPLE CANOPY - R70S (VOLTA / REVOLTA)		113535XX4	FEATURES / CARACTERÍSTICAS Canopy for 3 volta / revolta pendants Sujeción para 3 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 711 711
					
ROUND MULTIPLE CANOPY - R100S (VOLTA / REVOLTA)		113535XX5	FEATURES / CARACTERÍSTICAS Canopy for 5 volta / revolta pendants Sujeción para 5 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 920 920
					
ROUND MULTIPLE CANOPY - R40S (VOLTA / REVOLTA)		113635XX1	FEATURES / CARACTERÍSTICAS Canopy for 2 volta / revolta pendants Sujeción para 2 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 525 525
					
RECESSED MULTIPLE CANOPY - R40R (VOLTA / REVOLTA)		113635XX1R	FEATURES / CARACTERÍSTICAS Recessed canopy for 2 pendants Sujeción empotrada para 2 suspensiones Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C	FINISHES / ACABADO 26 BLK 71 WH	EURO € 156 156
					
SURFACE CANOPY - R30 (CIRC)		113815263	FEATURES / CARACTERÍSTICAS Canopy for 6 single pendants, Sujeción para 6 suspensiones Compatible with items: t-3810 / t-3810A / t-3811 t-3811A / T-3815 / T-3815A T-3816 / T-3816A t-3820 / t-3821 / A-3830 / R30 compositions	FINISHES / ACABADO 26 BLK	EURO € 191
					
RECESSED CANOPY - R12 (CIRC)		113820263	FEATURES / CARACTERÍSTICAS Canopy for remote driver, 6 pendants max Sujeción para driver empotrado, 6 suspensiones máximo Compatible with items: t-3810 / t-3811 T-3815 / T-3816 / t-3820 / t-3821 R12 compositions	FINISHES / ACABADO 26 BLK	EURO € 85
					
SINGLE CANOPY		113924XX0	FEATURES / CARACTERÍSTICAS Surface canopy for 1 pendant Sujeción de superficie para 1 suspensión Compatible with items: T-3305S / T-3306S T-3307S / T-3714S / T-3715S / T-3716S / T-3915S T-3924S / T-3925S	FINISHES / ACABADO 26 BLK 74 WH	EURO € 70 70
					
SURFACE LINEAR CANOPY - L92S (CUPOLINA)		113935XX2	FEATURES / CARACTERÍSTICAS Canopy for 1 cupolina T-3935 pendant Sujeción para 1 suspensión Cupolina T-3935	FINISHES / ACABADO 26 BLK 71 WH	EURO € 174 174
					

**GENERAL TERMS OF SALE
CONDICIONES GENERALES DE VENTA**

GENERAL TERMS OF SALE

1. Terms

Sales of our products are subject to present general conditions, which prevail over any other terms of purchase, unless there is a formal written agreement between Estiluz and the client.

2. Prices

All prices published in the Price List are recommended retail prices without taxes. Bulbs are not included with the exception of the items marked accordingly.

3. Project Registration

For the protection of our distributors and agents, all projects should be registered with our Estiluz office.

4. Discounts

The standard discount granted to a distributor does not apply in case of projects registered by another distributor or agent. The distributor shall contact Estiluz to inquiry about these projects and ask for pricing

5. Terms

All past due invoices are subject to interest penalties at current legal rates.

6. Transportation

- Spain and Portugal:
Freight allowed on all orders equal or above 450€ net before taxes when the goods are shipped to the dealer or its client in case of projects. All others will be charged a 15€ fee with the exception of Canarias, Formentera, Ceuta, Melilla, Madeira, Azores and delivery to private addresses, where transportation costs will be calculated individually. Drop shipment add 20€.

- International:
Freight due on all orders (FCA Barcelona or EXW). Estiluz will not be responsible for any damages that may occur during transit.

7. Order confirmations and cancellations

Orders must be sent in writing, either by mail, email or fax. Estiluz is not responsible for any mistakes on orders that have not been received in writing.

Orders will not be cancelled unless we receive notice from customer prior to shipment. Special orders cannot be cancelled.

8. Claims and returns

Estiluz will only accept claims filed within 15 days after shipment of merchandise.

Returned merchandise will not be accepted unless prior arrangements have been made with our Customer Service department. Handling and Repair fees will apply if the product is not received in perfect conditions and its original packaging.

All returns due to reasons for which Estiluz cannot be held responsible, will be charged 20% restocking fee and original freight.

9. Delivery

If the merchandise received is not in good condition or does not match the packing slip, it should be noted on the packing slip prior to signature. Estiluz should also receive a written notice in the following three days.

10. Property Rights

The merchandise will remain property of Estiluz until it is paid in full. Estiluz reserves the right to retrieve all unpaid goods without advanced notice.

If that is case, the client is responsible for all costs involved with the return and assume the risk of damage.

11. Warranty

Our manufactured products (except for bulbs) are guaranteed against any manufacturing defects for two years from date of delivery. The warranty is limited to replacement of defective material and does not include any labor, expenses or damages contingent or incidental thereto. This warranty does not apply to products damaged due to accident, tampering, misuse or abuse.

12. Modifications

Estiluz reserves the right to modify and/or discontinue any products illustrated in this Price list.

13. Disputes

Any disputes are subject to arbitration in equity in Barcelona, according to the Spanish law.

CONDICIONES GENERALES DE VENTA

1. Validez

Las ventas de nuestros productos están sujetas a las presentes condiciones generales, que prevalecen sobre cualquier otra condición de compra, a menos que exista un pacto formal escrito entre Estiluz y su cliente.

2. Precios

Los precios estipulados en esta tarifa son precios recomendados de venta al público y no incluyen impuestos. Bombillas no incluidas excepto en los productos en los que así se indica.

3. Registro de proyectos

Para garantizar la protección del trabajo realizado por distribuidores y agentes, todos los proyectos deben ser registrados en nuestras oficinas.

4. Descuentos comerciales

El descuento habitual de un distribuidor puede no aplicarse en caso de proyectos registrados por otro distribuidor o representante. El distribuidor deberá ponerse en contacto con Estiluz para obtener el precio neto de estos proyectos.

5. Pagos

La penalización por retraso en el pago aplicará la tasa de interés legal en vigor.

6. Transporte

- España y Portugal:
Estiluz se hará cargo de los portes en todos los pedidos por valor igual o superior a 450€ netos sin impuestos cuando el destino final sea el del distribuidor o el de su cliente en caso de proyectos. En pedidos inferiores a 450€ netos se facturará un importe de 15€ (excepciones: Canarias, Formentera, Ceuta, Melilla, Madeira, Azores y entregas a particulares, en las que el coste se calculará individualmente.) Envíos a particulares añadir 20€.

- Internacional:
Todos los pedidos serán a portes debidos (FCA Barcelona o EXW Factory). Estiluz no se hace responsable de las incidencias que pudieran ocurrir durante el transporte.

7. Formalización de pedidos y anulación

Los pedidos deben ser formalizados por escrito, ya sea por correo, email o fax. Estiluz no se hará responsable de ningún error producido en pedidos que no hayan sido formalizados por escrito.

No consideramos anulado ningún pedido sin previo aviso por parte de nuestros clientes, anterior a la salida de la mercancía de nuestras instalaciones. Los pedidos de productos especiales y modificaciones no se pueden anular.

8. Reclamaciones i devoluciones

Se atenderán las que se reciban por escrito, en un período de 15 días des de la entrega de la mercancía.

No se admiten devoluciones sin nuestra autorización previa, reservándonos el derecho de rechazarlas si nos llegan a portes debidos y con embalaje insuficiente. Si el producto no está en perfectas condiciones, nos reservamos el derecho de facturar los gastos de gestión y reparación.

Aquellas devoluciones sin causa justificada o por motivos ajenos a Estiluz recibirán un recargo de gestión del 20%. Portes a cargo del cliente.

9. Entrega

Si la mercancía no llega al cliente en buenas condiciones o no coincide con el albarán de entrega, se deberá hacer constar en el albarán del transportista en el momento de la firma e informar a Estiluz en el transcurso máximo de los tres días siguientes mediante correo, email o fax.

10. Cláusula de reserva de la propiedad

La mercancía permanece propiedad de Estiluz hasta que haya sido pagada íntegramente. La negativa de pago puede derivar en la solicitud de devolución de los bienes por parte de la empresa.

En este caso, el comprador asumirá todos los costes y riesgos derivados del envío.

11. Garantía

Nuestros productos (excepto bombillas) tienen una garantía de dos años desde la fecha de entrega al cliente, ante cualquier defecto o error de funcionamiento, siempre y cuando se les haya dado un uso apropiado y se hayan respetado las condiciones de utilización marcadas en el aparato.

12. Modificaciones

Estiluz se reserva el derecho de modificar y/o anular los modelos de la presente tarifa.

13. Disputas

En caso de litigio, ambas partes se someterán a la jurisdicción de los tribunales de Barcelona.

ESTILUZ (Headquarters) / Carretera d'Ogassa s/n
E-17860 St Joan de les Abedesses (Girona) Spain
T +34 972 720 125 / F +34 972 720 796
estiluz@estiluz.com

www.estiluz.com

estiluz[®]